

Product Code: SIN420PN

## **Technical Specification**

**Description:** 10AX 1 Gang Intermediate Toggle Plate Switch Insert





Switch Cover: Stainless Steel

Contacts: Silver "on-lay" Copper / Brass

Terminals: Brass

Terminal Torque Value (Nm)

Earth Strap: Mild Steel

Frequency (Hz) 50

## **General Information**

**Insert Dimensions (mm)** 82.5 (W) x 82.5 (H) x 2.5 (D)

Plate Fixing Centres - Horizontal (mm) 60.3

Style Screwless Insert Finish Pearl Nickel Insert Colour Black

Compatible Cover Plate SCP221#

Materials Insert: Polycarbonate

Rear Housing: Nylon

Terminal Screws: Steel & Yellow Passivated

Internal Busbars: Formed Pressed Brass

No.

Rated Voltage (V~) (Ue) 250

Anti Microbial Certified

Inductive Load Rating (AX) 10

Load Rating Comments Suitable for Inductive Loads

**Termination Type** Screw **Terminal Size (mm)** 4.9 x 4.1

Terminal Capacity - Solid (mm²) 4 x 1.5 or 2 x 2.5

Modular Rocker Switches Yes

Intermediate Switch Yes

Minimum Back Box Depth (mm) 35

Ingress Protection IP20

Operational Temperature (°C) -5 to +40

Warranty (Years) 10

Standards BS EN 60669-1

For cleaning / polishing of products, use only a soft, dry, clean cloth.

Ensure that the mains supply is isolated before commencing installation and refer to the circuit

diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.



**Additional Information** 



## **Technical Specification**



Product Code: SCP221\*\*

Description: 1 Gang Toggle Plate Switch Cover Plate

## **General Information**

**Dimensions (mm)** 86 (W) x 86 (H) x 4 (D)

Finishes Available BS (Brushed Stainless), CH (Polished Chrome), SS (Stainless Steel), MB (Metal Black), MW (Metal

White), BK (Matt Black) & PW (Polar White)

Plate Materials Decorative & Metal Black or White: Stainless Steel, Black & Polar White: Polycarbonate




SCP221BS




SCP221CH



SCP221SS



SCP221MB



SCP221MW



SCP221BK

