

JC17010WH

Architectural up/down light box IP54 5W 3000K 160Lm White



## Features & Benefits

Durable die-cast aluminium construction

Surface mountable up/down wall light

IP54 protection against dust and moisture

LED wall light with matching colour temperature and finish to the Architectural exterior range

## General Information

|                              |                              |
|------------------------------|------------------------------|
| <b>Product Group</b>         | LED-Surface                  |
| <b>Product Range</b>         | Architectural Exterior Range |
| <b>Trade Name</b>            | Architectural                |
| <b>Light Source</b>          | LED                          |
| <b>Light Source Features</b> | Warm White                   |
| <b>Lighting Product Type</b> | Wall Light                   |

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)

|                              |                          |
|------------------------------|--------------------------|
| Product Shape                | Square                   |
| Mounting                     | Wall                     |
| Product Weight               | 0.31kg                   |
| Color Finish                 | White                    |
| Overall Dimensions           | 82 x 58 x 82cm           |
| Recommended Product Location | Residential applications |
| Method Of Fix                | Surface Mounted          |
| IP Rating                    | IP54                     |
| Environment                  | Outdoor                  |
| Origin Of Manufacture        | China                    |
| Guarantee                    | 3 year extended          |
| Driver Manufacturer          | Mains chip               |
| LED Manufacturer/Type        | Samsung                  |

## Electrical

|                           |         |
|---------------------------|---------|
| Voltage Rating            | 200-240 |
| Operating Frequency (Hz)  | 50/60Hz |
| Luminaire Circuit Wattage | 5W      |
| Class                     | Class I |
| EMC Compliant (EN55015)   | yes     |

## Thermals

|                                        |                    |
|----------------------------------------|--------------------|
| Room Ambient Temperature Not To Exceed | 50°C               |
| Operating Temperature Range            | from -20°C to 50°C |

## Performance Data

|                                     |         |
|-------------------------------------|---------|
| <b>Actual Lumen Output</b>          | 162     |
| <b>Lumen Output</b>                 | 101-300 |
| <b>Lumens Per Circuit Watt</b>      | 32 LpcW |
| <b>LED Life (Hours)</b>             | 36000   |
| <b>Color Rendering Index</b>        | 80-89   |
| <b>CRI: Ra</b>                      | 80      |
| <b>Correlated Color Temperature</b> | 3000K   |
| <b>Photometry Available</b>         | Yes     |

## Construction

|                         |           |
|-------------------------|-----------|
| <b>Primary Material</b> | Aluminum  |
| <b>Diffuser</b>         | PC        |
| <b>Heat Sink</b>        | Aluminium |
| <b>Seal Material</b>    | Silica    |


## Packaging

|                                    |                     |
|------------------------------------|---------------------|
| <b>Luminaire Carton Dimensions</b> | 10.5 x 10.5 x 9.5cm |
| <b>Quantity Per Outer Carton</b>   | 24                  |
| <b>Bar Code EAN Number</b>         | 5052544079429       |
| <b>Packaged Weight</b>             | 0.41kg              |

## Standards & Approvals

|                                      |               |
|--------------------------------------|---------------|
| <b>Listings</b>                      | CE            |
| <b>Manufactured In Accordance To</b> | BS 60598-2015 |
| <b>CE Marked</b>                     | Yes           |
| <b>Batch Coded</b>                   | Yes           |

JCC Lighting  
Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)



Datasheet generated from <https://www.electrika.cloud> on 10 September 2018 07:40:03

**JCC Lighting**

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)