

Qr 5 LED

Fire Rated Downlights



Data Sheet

Product Information

The FireBreak Qr5 IP65 LED downlights are the perfect for downlighting any areas including bathrooms. Dimmable as standard using a range of compatible dimmers.

Complete with a 3 year warranty for your peace of mind.



Product Features

- 3 year warranty
- Class I
- IP65
- High efficiency up to 88lumens per circuit watt
- Instant on
- Energy savings up to 94% vs 50W Halogen Lamps
- CRI: Ra>84
- Fully tested for 30, 60 and 90 minute fire rated ceilings
- Colour rim options available
- Heads can be loosely covered in insulation

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSRFRD380	5w Fire Rated 3000K LED Dimmable Downlight	4.6	3000	396	>84	A+	I
KSRFRD381	5w Fire Rated 4000K LED Dimmable Downlight	4.7	4000	414	>84	A+	I

Product Code	Circuit Current (A)	Driver (mA)	Power Factor (PF)	In Rush Current
KSRFRD380	0.022	TBC	0.88	0.24A Max Peak
KSRFRD381	0.022	TBC	0.88	0.16A Max Peak

Nominal voltage	220~240VAC
Operating frequency	50Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
Beam angle	65°
IP rating	65


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU
Part E	Acoustic performance
Part B	Fire Safety
Part C	Air & moisture transfer

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.