

Manta E27 Bollard

Bollards



Data Sheet

Product Information

The Manta E27 Bollard is a Polycarbonate bollard suitable for use with E27 lamps. Available in a Black Finish.

With its Polycarbonate Construction this is ideal for high Saline areas within Domestic or Commercial Applications

Product Features

- 1 year warranty
- Class II
- IP65
- Suitable for use with E27 46w Max
- Polycarbonate Construction Suitable for High Saline Areas
- 2 heights available 450mm and 750mm
- Chrome Louvre

Product Specification

| Product Code | Product Description | Wattage (W) | Lamp Cap | Lumens (lm) | CRI (Ra) | Protection Class |
|--------------|---------------------------------------|-------------|----------|-------------|----------|------------------|
| KSR1180 | Manta E27 450mm Polycarbonate Bollard | 46w Max | E27 | Varies | Varies | II |
| KSR1181 | Manta E27 750mm Polycarbonate Bollard | 46w Max | E27 | Varies | Varies | II |

| | |
|----------------------------|--------------------------|
| Nominal voltage | 220~240VAC |
| Operating frequency | 50-60Hz |
| Circuit Wattage | Dependant on Lamp Choice |
| Temperature Range | 0°C to 30°C |
| IP rating | 65 |

Construction

Body: Polycarbonate
Lens: Clear Polycarbonate

Standards



BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with


RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions

KSR1180



KSR1181



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.