

Bespoke 24V RGBW LED Strip

LED Strip Lighting



Data Sheet

Product Information

Our Bespoke 24V RGBW LED Strip is ideal for lighting applications where feature lighting is required at custom Lengths specific to the installation.

This range is well suited to residential and commercial applications.



Product Features

- 3 year warranty
- IP20/IP65
- 11.5W RGBW per metre
- Two dimming options -
Dimmable control via remote control using KSR9564 & KSR9565 with an effective range up to 30m or Dimmable Via App Control using our Wiz CV controller
- Class II for Power supply and Class III for LED Strip
- 24v Constant Voltage
- 3M Self-adhesive Backing
- Tape can be cut every 167mm
- Can be supplied in lengths up to 15m

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	CRI (Ra)	Lumens (lm)	Protection Class
KSRIP20RGBWBESPOKE	11.5w RGBW LED IP20 24V Strip	11.5w per metre	RGBW	N/A	N/A	III
KSRIP65RGBWBESPOKE	11.5w RGBW LED IP65 24V Strip	11.5w per metre	RGBW	N/A	N/A	III
Accessories						
KSR9564	Novara LED Receiver/Controller***					II
KSR9565	Novara RGBW Remote***					II
KSRWIZCV3000	30w WiZ Constant Voltage controller	30w				II
KSRWIZCV9000	90w WiZ Constant Voltage controller	90w				II
KSRDL287	20W 24V Non Dimmable Constant Voltage Driver**	20w				II
KSRDL288	60W 24V Non Dimmable Constant Voltage Driver**	60w				II
KSRDL289	100W 24V Non Dimmable Constant Voltage Driver	100w				II
KSRDL296	200W 24V Non dimmable Constant Voltage Driver	200w				II

Nominal voltage	24V
Operating frequency	50/60Hz
Circuit Wattage	11.5w per metre
Circuit Current	TBC
Driver Current Rating	N/A
PFC	0.99
In Rush Current	N/A
Ambient temperature range	-10°c to +45°c
IP rating	20/65

Construction

Coating: Clear Silicone


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU


Product Dimensions




KSRI20RGBWBESPOKE




KSRI65RGBWBESPOKE



KSR9564



KSR9565



KSRWIZCV3000/9000

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.