

Tresco II Emergency

Commercial Lighting



Product Information

The Tresco II Emergency downlight are supplied complete with driver and battery pack. The wide beam angle feature provides greater coverage for open spaces allowing you to use less fittings to meet emergency lighting requirements.

They come complete with a 3 year warranty.

Product Features

- 3 year warranty
- 6500K LED
- Wide Beam Angle: 115°
- Plug and play set up
- 3 Interchangeable coloured Bezel options: Black, Silver and White
- Lighting designers can download photometric data from our website

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (Im)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR98105	Tresco II 2W Emergency Downlight	1.4W	6500	130	80	A+	II

Emergency Parameters

Circuit Wattage	1.4W
Circuit Current	0.015A
Driver Current Rating	200mA
Charge Current	350mA
Cells	3.2v 1.5Ah LiFePO4
LOR %	100%
IP Rating	20
Ambient Temperature Range	0°c to +35°c

Construction

Body: Polycarbonate Bezel: Polycarbonate

Standards


BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests
BSEN60598-2-22:2014+A1:2020 Luminaires – Part 2: Luminaires for Emergency Lighting

In Conformity with

LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2019/2020/EU RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.