

Eaton FXSOLCWS

Catalog Number: FXSOLCWS

Eaton Conventional VAD, Conventional, VAD, EN54 Systems, Ceiling Mounted, White Plastic , Red Flash, Shallow Base

General specifications

Product Name	Catalog Number
Eaton Conventional VAD	FXSOLCWS
EAN	Product Length/Depth
5018987126304	37 mm
Product Height	Product Width
38 mm	93 mm
Product Weight	Warranty
.1 kg	3 year
Compliances	Certifications
Contact Manufacturer	Contact Manufacturer



Product specifications

Number of modes

4

Product branding

Eaton Cooper

Operating temperature - min

-25 °C

Mounting Method

Surface mounting

Humidity (Non Condensing) - Max

95 %

Ambient temperature - max

70 °C

System typology

Conventional (Non-addressable)

EN Certification Standards

EN54 Pt23 (Visual Alarms)

Operating temperature - max

70 °C

Lens color

Clear

Ambient temperature - min

-25 °C

Alarm current - max

25 mA

Humidity (Non Condensing) - Min

0 %

Light color

Red

Cable entry

Rear

Degree of protection (IP)

IP33

Electricity consumption

.025 A

Construction material

Resources

Technical data sheets

[eaton-fire-conventional-solista-lx-beacons-fxsolwrs-cws-datasheet-2015](#)

ABS

Nominal voltage

24 V

Lamp type

LED not exchangeable

System wiring

2.5 mm

Standby-time up to

0 hour

Alarm current - min

10 mA

Material housing

Plastic

Mounting position

Ceiling in open areas

Integrated function

Flashlight

Voltage type

DC

Power

.6 W

Color housing

White



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)