

Product datasheet

Specifications



SUPPORT 96X96 METERING DEV/ P-BUTTON FOR CUT-OUT FRONT PLATE 03911/03913

03908

Discontinued on: 05 April 2023

Discontinued

EAN Code : 3303430039082

Main

Range	Prisma
Range of product	Prisma P Prisma G
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma (Prisma G) enclosure Prisma (Prisma P) cubicle
Installation description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing enclosure - width 850 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Cubicle - width 400 mm depth 400 mm Cubicle - width 650 mm depth 400 mm Cubicle duct - width 300 mm depth 400 mm
Mounting plate description	Plain
Installed device	Human-switchboard interface: HSI
Number of vertical modules [50 mm]	3 module(s): HSI in 600 mm Widefloor-standing enclosure 3 module(s): HSI in 600 mm Widewall-mounted enclosure 3 module(s): HSI in 650 mm Widecubicle 3 module(s): HSI in 300 mm Widecubicle duct 3 module(s): HSI in 400 mm Widecubicle 4 module(s): HSI in 850 mm Widefloor-standing enclosure 3 module(s): HSI in 300 mm Widefloor-standing duct 3 module(s): HSI in 300 mm Widewall-mounted duct 3 module(s): HSI in 850 mm Widefloor-standing enclosure
Standards	IEC 61439-2
Product certifications	ASEFA

Complementary

Material	Plastic
Colour	White (RAL 9001)
Width	96 mm
Height	96 mm
Depth	21 mm
Net weight	0.04 kg
Functional unit	600 mm Prisma G floor-standing enclosure human-switchboard interface HSI 4 3 600 mm Prisma G wall-mounted enclosure human-switchboard interface HSI 4 3

650 mm 400 mm Prisma P cubicle human-switchboard interface HSI 4 3
300 mm 400 mm Prisma P cubicle duct human-switchboard interface HSI 4 3
400 mm 400 mm Prisma P cubicle human-switchboard interface HSI 4 3
850 mm Prisma G floor-standing enclosure human-switchboard interface HSI 1 4
600 mm Prisma G floor-standing enclosure human-switchboard interface HSI 1 3
600 mm Prisma G wall-mounted enclosure human-switchboard interface HSI 1 3
300 mm Prisma G floor-standing duct human-switchboard interface HSI 1 3
300 mm Prisma G wall-mounted duct human-switchboard interface HSI 1 3
850 mm Prisma G floor-standing enclosure human-switchboard interface HSI 4 3
650 mm 400 mm Prisma P cubicle human-switchboard interface HSI 1 3
400 mm 400 mm Prisma P cubicle human-switchboard interface HSI 1 3
300 mm 400 mm Prisma P cubicle duct human-switchboard interface HSI 1 3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.1 cm
Package 1 Width	9.6 cm
Package 1 Length	9.6 cm
Package 1 Weight	31.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	200
Package 2 Height	29.7 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	6.25 kg
Unit Type of Package 3	P12
Number of Units in Package 3	400
Package 3 Height	42.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	24.776 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Halogen content performance	Halogen free product

Contractual warranty

Warranty	18 months
----------	-----------

Recommended replacement(s)

03908 may be replaced by any of the following products:

1x



SUPPORT 96X96 METERING DEV/P-BUTTON FOR CUT-OUT FRONT PLATE
03911/03913
LVS03908

1x



SUPPORT 96X96 METERING DEV/P-BUTTON FOR CUT-OUT FRONT PLATE
03911/03913
LVS03908