

**CADDY**

# Fixings and Fasteners

for Partition Wall Applications



**ERICO**

# Fixings & Fasteners for Partition Wall Applications

CADDY® Fixings and Fasteners for Partition Wall Applications are quick and easy to install, reducing installation time and cost. This new range of products from ERICO® features innovative designs and is ideal for wood or metal stud partition wall applications.

## Telescopic Screw Gun Bracket



### Features

- Mounts multiple deep boxes up to 54 mm
- Notches and markings enable faster and more precise box and conduit mounting between the studs
- Pilot holes allow easy box attachment with only a screwdriver
- Easily attach box with self-tapping screws (part # SMS8 low-profile screw is recommended)
- Requires only a screw gun to install
- Reduces movement of the box when used with flexible/rigid conduit or pre-wired cable systems
- Unique, one-piece, break apart design
- Interlocking tab prevents accidental disassembly
- Now available in kits

Part Number	Description	L (mm)	P	Qty Per Box
187190	<b>TSGB16</b> Adjustable Telescopic Screw Gun Bracket	280 – 458	1	50
187191	<b>TSGB24</b> Adjustable Telescopic Screw Gun Bracket	432 – 660	1	50

## Various TSGB Applications



# Fixings & Fasteners for Partition Wall Applications

## Wafer Head Sheet Metal Screw




### Features

- Self-drilling & tapping
- Minimizes drywall bulge

Part Number	Description	P	Qty Per Box
187197	<b>SMS8</b> Wafer Head Sheet Metal Screw, 4 x 12 mm	1	1000

**NOTE:** Used for mounting CADDY® Fasteners in all metal partition wall applications

## Conduit/Cable to Metal Stud Partition



### Features

- Fits most switch boxes and partition walls
- Fits rigid/flexible conduit or pre-wired cable systems 18 mm – 30 mm diameter
- Installs quickly and easily

Part Number	Description	P	Qty Per Box
160881	<b>812MF</b> 18 mm – 30 mm Conduit/Cable to Metal Stud Partition	21	100

## Screw-on Conduit Support




### Features

- Accommodates 18 mm – 30 mm flexible/ rigid conduit or pre-wired cable systems
- Alignment tab positively locates the fixing on the stud, keeping the conduit in line with box knock out
- Ideal for wood or metal stud partition wall

Part Number	Description	P	Qty Per Box
176910	<b>CS812</b> Attaches 18 mm – 30 mm flexible or rigid conduit to wood or metal stud partition wall	21	100

# Fixings & Fasteners for Partition Wall Applications

## Conduit/Cable Support for Partition Wall



### Features

- Provides secure support in seconds
- Secures pre-wired cable systems to most wood and metal stud partition walls
- Fast press-on installation
- No tools required

Part Number	Description	P	Qty Per Box
160885	<b>FXC20</b> Conduit/Cable support 12.7 mm dia	21	100

## Combination Conduit/Cable Push-in Wall Clips



### Features

- Quickly attach 20 mm and 25 mm conduit or pre-wired cable systems to TSGB, metal stud or wall surfaces
- Just push in – there's no need to close the clip
- Reduce the need to stock multiple products
- Lightweight, one-piece design is low-profile to minimize snag potential
- Stand-off design eliminates conduit off-set bending
- Provide automatic alignment with most electrical box knockouts
- Secure with powder-actuated tools, self-tapping concrete anchors or screw guns

Part Number	Description	P	Qty Per Box
160890	<b>WC812</b> Combination conduit/cable push-in wall clip	1	100

## TPC112 Pipe/Conduit Clip with Ratchet Legs



### Features

- Secures 9 mm – 28 mm and 16 mm – 61 mm pipe/conduit or pre-wired cable systems within partition walls
- Ratchet action retains pipe/conduit or strut/cable

Part Number	Description	D (mm)	P	Qty Per Box
187192	<b>TPC112</b>	9-28	5	50
187193	<b>TPC238</b>	16-61	5	50



## CADDY® SUPERKLIP Self-Closing Pipe/Conduit Clip




### Features

- Compact, one-piece design installs easily
- Permits axial pipe expansion and contraction
- Fastens with wood screws, dual-threaded screws (with or without collars), self-tapping screws, nails with collars or threaded bolts
- Jaw and material flexibility compensate for pipe tolerances
- Ideal for temperatures -25° C to 90° C
- Resists environmental stresses and is chemical and UV resistant
- Accommodates pipe/conduit for pre-wired cable systems within partition walls

Part Number	Description	Qty Per Box
389017	CADDY® SUPERKLIP 8 mm grey	100
389018	CADDY SUPERKLIP 10 mm grey	100
389001	CADDY SUPERKLIP 12 mm grey	100
389002	CADDY SUPERKLIP 15 mm grey	100
389003	CADDY SUPERKLIP 17 mm grey	100
389004	CADDY SUPERKLIP 20 mm grey	100
389005	CADDY SUPERKLIP 22 mm grey	100
389006	CADDY SUPERKLIP 25 mm grey	100

Part Number	Description	Qty Per Box
389007	CADDY SUPERKLIP 28 mm grey	100
389008	CADDY SUPERKLIP 32 mm grey	100
389009	CADDY SUPERKLIP 36 mm grey	100
389011	CADDY SUPERKLIP 40 mm grey	100
389012	CADDY SUPERKLIP 47 mm grey	100
389013	CADDY SUPERKLIP 51 mm grey	100
389014	CADDY SUPERKLIP 59 mm grey	100

## Conduit or Cable to Metal Stud Partition Wall Clip



### Features

- Secures cable, pre-wired cable systems or flexible conduit to metal stud
- SC range 6 mm – 32 mm
- Easy to install

Part Number	Description	Dia (mm)	P	Qty Per Box
187510	SC 24SC67	6 – 7 mm	21	100
187710	SC 24SC78	7 – 8 mm	21	100
187530	SC 24SC89	8 – 9 mm	21	100
187750	SC 24SC910	9 – 10 mm	21	100
187550	SC 24SC1011	10 – 11 mm	21	100
187570	SC 24SC1214	12 – 14 mm	21	100
187590	SC 24SC1518	15 – 18 mm	21	100
187610	SC 24SC1924	19 – 24 mm	21	100
187630	SC 24SC2530	25 – 32 mm	21	100

# Fixings & Fasteners for Partition Wall Applications

## Press-on Nail Protection Plate for Wood and Metal Stud Partition Wall



### Features

- Fast, press-on installation requires no tools
- Helps protect electrical, datacomm and plumbing services
- Works on wood or metal stud partition wall
- Breakable tabs permit multiple plates to be ganged together
- Corrosion-resistant zinc phosphate coating

Part Number	Description	Qty Per Box
187991	<b>304B2</b> Press-on nail protection plate	100

Statutory in most European countries; please check your local installation regulations.

## Adjustable Far-Side Box Support




### Features

- Provides far-side electrical box support in various partition wall depths
- Installs in seconds with a hammer
- Easily adjustable with a pair of pliers

Part Number	Description	Qty Per Box
160883	<b>J1A35</b> Box support for partition wall up to 89 mm depth	100

## Floor-Mounted Box/Conduit Support



### Features

- Supports electrical boxes from floor
- Slot provides for 200 mm height adjustment

Part Number	Description	P	Qty Per Box
176990	<b>FBS18</b> 460 mm high box support	1	50



# Fixings & Fasteners for Partition Wall Applications

## Electrical Box to Metal Stud Partition Wall Support



### Features

- Fits all standard UK electrical switch and socket boxes
- Adjustable to allow boxes to be flush or protrude into wall board surface
- Installs in seconds with a hammer
- Use in conjunction with J1A35

Part Number	Description	P	Qty Per Box
160991	<b>MFSE</b> With screw (adjustable 6.35 mm – 19.05 mm)	21	100

## Metal Stud Partition Wall Punch



### Features

- Cushioned handles mean less operator fatigue and more comfortable handling
- Tool design with offset handles allows punch to work in confined locations and near perpendicular walls
- Lightweight punch makes accurate location of holes easier
- Hardened steel components keep tool sharper longer, reducing the need for replacement
- Punches up to .89 mm sheet metal

## Easy-Snap Grommet



### Features

- Snaps into standard 34 mm field punched hole or two can snap together into any shape factory-punched hole
- Provides 360° protection for cable and makes cable pulls easier
- Complies with required codes

Part Number	Description	Qty Per Box
188480	<b>MSP20</b> Metal Stud Punch	1
188470	<b>ESG1</b> Easy-Snap Grommet	100

#### WARNING

ERICO products shall be installed and used only as indicated in ERICO's product instruction sheets and training materials. Instruction sheets are available at [www.erico.com](http://www.erico.com) and from your ERICO customer service representative. Improper installation, misuse, misapplication or other failure to completely follow ERICO's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death.

#### WARRANTY

ERICO products are warranted to be free from defects in material and workmanship at the time of shipment. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), SHALL EXIST IN CONNECTION WITH THE SALE OR USE OF ANY ERICO PRODUCTS. Claims for errors, shortages, defects or nonconformities ascertainable upon inspection must be made in writing within 5 days after Buyer's receipt of products. All other claims must be made in writing to ERICO within 6 months from the date of shipment or transport. Products claimed to be nonconforming or defective must, upon ERICO's prior written approval in accordance with its standard terms and procedures governing returns, promptly be returned to ERICO for inspection. Claims not made as provided above and within the applicable time period will be barred. ERICO shall in no event be responsible if the products have not been stored or used in accordance with its specifications and recommended procedures. ERICO will, at its option, either repair or replace nonconforming or defective products for which it is responsible or return the purchase price to the Buyer. THE FOREGOING STATES BUYER'S EXCLUSIVE REMEDY FOR ANY BREACH OF ERICO WARRANTY AND FOR ANY CLAIM, WHETHER SOUNDING IN CONTRACT, TORT OR NEGLIGENCE, FOR LOSS OR INJURY CAUSED BY THE SALE OR USE OF ANY PRODUCT.

#### LIMITATION OF LIABILITY

ERICO excludes all liability except such liability that is directly attributable to the willful or gross negligence of ERICO's employees. Should ERICO be held liable its liability shall in no event exceed the total purchase price under the contract. ERICO SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS OF BUSINESS OR PROFITS, DOWNTIME OR DELAY, LABOR, REPAIR OR MATERIAL COSTS OR ANY SIMILAR OR DISSIMILAR CONSEQUENTIAL LOSS OR DAMAGE INCURRED BY BUYER.


# ERICO®



[www.erico.com](http://www.erico.com)



**AUSTRALIA**  
Phone 1800-263-508  
Fax 1800-423-091



**CHINA**  
Phone +86-21-3430-4878  
Fax +86-21-5831-8177



**HUNGARY**  
Phone 06-800-16538  
Fax +31-13-583-5406



**NORWAY**  
Phone 800-100-73  
Fax 800-100-66



**SWITZERLAND**  
Phone 0800-55-86-97  
Fax 0800-55-96-15



**BELGIUM**  
Phone 0800-757-48  
Fax 0800-757-60



**DENMARK**  
Phone 808-89-373  
Fax 808-89-372



**INDONESIA**  
Phone +62-21-575-0941  
Fax +62-21-575-0942



**POLAND**  
Phone +48-71-349-04-60  
Fax +48-71-349-04-61



**THAILAND**  
Phone +66-2-267-5776  
Fax +66-2-636-6988



**BRAZIL**  
Phone +55-11-3623-4333  
Fax +55-11-3621-4066



**FRANCE**  
Phone 0800-901-793  
Fax 0800-902-024



**ITALY**  
Phone 800-870-938  
Fax 800-873-935



**SINGAPORE**  
Phone +65-6-268-3433  
Fax +65-6-268-1389



**UNITED ARAB EMIRATES**  
Phone +971-4-881-7250  
Fax +971-4-881-7270



**CANADA**  
Phone +1-800-677-9089  
Fax +1-800-677-8131



**GERMANY**  
Phone 0-800-189-0272  
Fax 0-800-189-0274



**MEXICO**  
Phone +52-55-5260-5991  
Fax +52-55-5260-3310



**SPAIN**  
Phone 900-993-154  
Fax 900-993-106



**UNITED KINGDOM**  
Phone +0808-2344-670  
Fax +0808-2344-676



**CHILE**  
Phone +56-2-370-2908  
Fax +56-2-369-5657



**HONG KONG**  
Phone +852-2764-8808  
Fax +852-2764-4486



**NETHERLANDS**  
Phone +31-13-583-5400  
Fax +31-13-583-5499



**SWEDEN**  
Phone 020-790-908  
Fax 020-798-964



**UNITED STATES**  
Phone +1-440-248-0100  
Fax +1-440-248-0723

**ERICO®**