



1-10V
DIMMABLE

CONTROLS
AND ADVICE
ON REQUEST

100,000
HOURS
(AT 25°C)

50,000
HOURS
(AT 65°C)

YEARS'
WARRANTY
(AT 65°C)

YEARS'
WARRANTY
(AT 40°C)

NEXT DAY
DELIVERY

INDUSTRIAL RANGE



VENTURE
LIGHTING



A premium high efficiency,
low maintenance LED luminaire
designed using the best components.
Achieves 140 Lumens per Watt even at
raised temperature levels of 65°C in the most
demanding industrial applications with its
high-pressure diecast aluminium housing.

HYSKEIR

ELITE HIGHBAY

140W Hyskeir Highbay ELITE , 850, 1-10V


Order Code: IND175-C10

Photometric Data	
Lumens	21000
Colour Temperature (K)	5000 - 5000
Light Distribution	Symmetric
Lens / Reflector	None

Life Data	
Rated Life L80/B50 @ 25°C	100000

Electrical Data	
Input (W)	150
Input (V)±10%	120 - 277
Voltage Type	AC
Power Factor	0.95
Type of Wiring	Ending
Wiring X-sec (mm^2)	1.0
1-10V Dimming	Yes
LED Nominal Current (mA)	3200 - 3200

Physical Data	
With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-40 - 65
Degree of Protection (IP)	IP66
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Height/Depth (mm)	220
Diameter (mm)	320
Lamp Type	LED Not Exchangeable
Reflector Material	Without Reflector
Impact Strength	IK10



140W Hyskeir Highbay ELITE , 850, 1-10V

Order Code: IND175-C10

Accessories

ACS137 - 60° Aluminium Reflector
ACS138 - 90° Aluminium Reflector
ACS141 - Rotatable Mounting Bracket
ACS142 - 90° Polycarbonate Refractor
EMG024 - High Output Emergency Pod

Logistical Data

Item Gross Weight (kg)	7.2
Packaging Length (cm)	39
Packaging Width (cm)	39
Packaging Height (cm)	21