



limit switch head ZCKD - metal end plunger

Local distributor code: 2205243 ZCKD10

EAN Code: 3389110646702

Main	
Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Plunger head
Product compatibility	XCKM XCKL
Associated body	ZCKMD37 ZCKLD35H7 ZCKL1H7 ZCKMD37H7 ZCKL5H7 ZCKMD35H29 ZCKM7H7 ZCKLD35 ZCKM035 ZCKM035 ZCKM1429 ZCKM5H7 ZCKLD37 ZCKLD37 ZCKLD37 ZCKLD31 ZCKLB8 ZCKM039H29 ZCKMB8 ZCKM8 ZCKMB29 ZCKM7 ZCKMD35H7 ZCKMD35H7 ZCKMD35H7 ZCKMD35H7 ZCKMD35H7 ZCKMB3H29 ZCKM6H7 ZCKLB ZCKM6 ZCKM6H7 ZCKLB ZCKM6 ZCKM5 ZCKM5 ZCKM5 ZCKLD31H7 ZCKM6 ZCKLD31H7 ZCKM631H29 ZCKM6 ZCKLD37H7 ZCKM031H29 ZCKM6 ZCKLD37H7 ZCKM031 ZCKM9 ZCKM6H29 ZCKM6H29 ZCKMD39H7 ZCKMD39H7 ZCKMD39H7 ZCKMD39H7 ZCKMD39 ZCKMB429

ZCKM1 ZCKM1H7 ZCKMD31H7 ZCKL7H7 ZCKM8H7

Movement of operating head	Linear
Type of operator	End plunger spring return metal
Type of approach	Vertical approach, 1 direction
Type of approach	- ottodi approcesi, i direction
Complementary	
Switch actuation	On end
Positive opening	With
Head material	Plastic
Environment	
Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment
Packing Units	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.4 cm
Package 1 Width	6.3 cm
Package 1 Length	7.5 cm
Package 1 Weight	39 g
Unit Type of Package 2	S01
Number of Units in Package 2	28
Package 2 Height	15 cm
Package 2 Width	15 cm
Package 2 Length	40 cm
Package 2 Weight	1.4 kg
Unit Type of Package 3	P06
Number of Units in Package 3	896
Package 3 Height	77 cm
Package 3 Width	80 cm
Package 3 Length	60 cm
Package 3 Weight	50.644 kg
Offer Sustainability	
Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty

18 months

Recommended replacement(s)