James Law SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Thick Bleach Trade name or designation

of the mixture

Registration number

Sodium hypochlorite **Synonyms**

Issue date 15-July-2015

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Preparatory and cleaning products

No other uses are advised. Uses advised against

1.3. Details of the supplier of the safety data sheet

UK

James Law (Chemicals Ltd) Company name Crossley Street Works **Address** Royal Street, Smallbridge

Rochdale OL16 2QA

HK

+44(0)1706 644940 **Telephone** Fax +44(0)1706 644037

e-mail sales@jameslawchemicals.com Website www.jameslawchemicals.com

1.4 Emergency telephone +44(0)1706 644940

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

H314 - Causes severe skin burns Skin corrosion/irritation Category 1B

and eye damage.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1 H400 - Very toxic to aquatic life.

aquatic hazard

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

Hazard summary

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Sodium C10 C16 Alkyl Ethoxy Sulphate, Sodium hydroxide, Sodium Hypochlorite (14-15% active

chlorine)

Hazard pictograms



Signal word Danger

Hazard statements

Material name: Thick Bleach SDS UK CLP 1 / 11

1587 Version #: 01 Issue date: 15-July-2015

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe mist or vapour.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P101 If medical advice is needed, have product container or label at hand.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see this label).

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container (in accordance with related regulations).

Supplemental label information EUH206 - Warning! Do not use together with other products. May release dangerous gases

(chlorine).

EUH031 - Contact with acids liberates toxic gas.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No.	/ EC No.	REACH Registration No.	INDEX No.	Notes
Sodium Hypochlorite ((14-15% ad	ctive 30 - 3	5 7681- 231-6	-	01-2119488154-34-XXXX	017-011-00-1	
Classification:	DSD:	C;R34, R31,	N;R50				В
	CLP:	Met. Corr. 1; Chronic 2;H4		rr. 1B;H3′	14, Aquatic Acute 1;H400, A	quatic	В
Sodium C10 C16 Alky Sulphate	l Ethoxy	1 - < 3	3 68585 500-2		01-2119488639-16-xxxx	-	
Classification:	DSD:	Xi;R38-41					
	CLP:	Skin Irrit. 2;H	315, Eye Dam	ı. 1;H318			
Sodium hydroxide		1 - < 3	3 1310- 215-1		01-2119457892-27-xxxx	011-002-00-6	

Classification: DSD: C;R35

CLP: Met. Corr. 1;H290, Skin Corr. 1A;H314

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

#: This substance has been assigned Community workplace exposure limit(s).

Note B: Refer to CLP Regulation 1272/2008, section 1.1.3.1 (Notes relating to the identification, classification and labelling of

substances)

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control centre immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and

delayed

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising

from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting

procedures

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Avoid release to the environment. Inform appropriate managerial or supervisory

personnel of all environmental releases.

Material name: Thick Bleach SDS UK CLP

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapours or divert vapour cloud drift. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe mist or vapour. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	
Sodium hydroxide	STEL	2 mg/m3	
(1310-73-2)		-	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

Components	Type	Route	Value	Form
Sodium hydroxide (CAS 1310-73-2)	Consumer	Inhalation	1 mg/m3	Long term Local effects
	Industry	Inhalation	1 mg/m3	Long term Local effects
Sodium Hypochlorite (14-15% active chlorine) (CAS 7681-52-9)	Consumer	Dermal	0,5 %	in mixture (weight basis
		Inhalation	3,1 mg/m3	Short term - systemic & local effects
		Inhalation	1,55 mg/m3	Long term - systemic & local effects
		Oral	0,26 mg/kg bw/day	repeat dose toxicity
dicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
Sodium Hypochlorite (14-15% active chlorine) (CAS 7681-52-9)	Not applicable	STP	4,69 mg/l	
		Water	0,21 μg/l	Fresh water
		Water	0,042 ug/l	marine water

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Material name: Thick Bleach SDS UK CLP

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Chemical goggles are

recommended.

Skin protection

- Hand protection For prolonged or repeated skin contact use suitable protective gloves. Wear protective gloves.

Chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Not applicable.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.

Form Aqueous solution.

Colour Colourless to light yellow.

Odour Slight chlorine. Odour threshold Not applicable pН 14,0 estimated

<= 0 °C (<= 32 °F) approx Melting point/freezing point >= 100 °C (>= 212 °F) approx. Initial boiling point and boiling

range

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not applicable

Upper/lower flammability or explosive limits

Flammability limit - lower Not applicable

(%)

Flammability limit - upper Not applicable

(%)

Not available Not available

Vapour pressure Vapour density Relative density Not available.

Solubility(ies)

Miscible Solubility (water) Solubility (other) Not available. Auto-ignition temperature Not applicable **Decomposition temperature** Not applicable Not available Viscosity Not applicable **Explosive properties** Not applicable Oxidizing properties

9.2. Other information

Density 1.10 g/cm3 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity Strong acids.

Material name: Thick Bleach SDS UK CLP 10.2. Chemical stability Stability of the solution decreases under the action of heat, light, and in the presence of impurities

(traces of iron, nickel, copper, cobalt, aluminium, manganese)

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures above 25 °C.

Contact with incompatible materials.

10.5. Incompatible materials Avoid contact with the

10.6. Hazardous decomposition

products

Avoid contact with acids and oxidising substances. Metals. This product reacts with acids.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Chlorine, Hypochlorous acid, Sodium chlorate

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on toxicological effects

Components	Species	Test results
Sodium hydroxide (CAS 1	1310-73-2)	
Acute		
Other		
LD50	Mouse	40 mg/kg
Sodium Hypochlorite (14-(CAS 7681-52-9)	15% active chlorine)	
Acute		
Oral		
LD50	Mouse	5800 mg/kg
	Rat	8.91 g/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity
Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

single exposure

siligie exposule

Due to partial of complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

Material name: Thick Bleach SDS UK CLP

SECTION 12: Ecological information

12.1. Toxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Components Test results Species Sodium C10 C16 Alkyl Ethoxy Sulphate (CAS 68585-34-2)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 2.33 - 4.81 mg/l, 48 hours

Sodium hydroxide (CAS 1310-73-2)

Aquatic

EC50 Crustacea Daphnia 40.4 mg/l, 48 hours Immobility

> Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/l, 48 hours

Sodium Hypochlorite (14-15% active chlorine)

(CAS 7681-52-9)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 0.03 - 0.07 mg/l, 96 hours

(Oncorhynchus mykiss)

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and The product contains inorganic compounds which are not biodegradable. The other components of degradability

the product are slowly biodegradable.

12.3. Bioaccumulative potential No data available. Not available. Partition coefficient

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil The product is miscible with water. May spread in water systems.

12.5. Results of PBT Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local

regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

> contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1791

14.2. UN proper shipping Hypochlorite Solution

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk Label(s) 8

Material name: Thick Bleach SDS UK CLP

1587 Version #: 01 Issue date: 15-July-2015

Hazard No. (ADR) 80 Ε Tunnel restriction code 14.4. Packing group П 14.5. Environmental hazards Yes 14.6. Special precautions for user 14.1. UN number 14.2. UN proper shipping name

Read safety instructions, SDS and emergency procedures before handling.

RID

UN1791

Hypochlorite Solution

14.3. Transport hazard class(es)

Subsidiary risk 8 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards Yes

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

ADN

14.1. UN number UN1791

14.2. UN proper shipping Hypochlorite solution

name

14.3. Transport hazard class(es)

Class Subsidiary risk 8 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

IATA

14.1. UN number UN1791

14.2. UN proper shipping Hypochlorite solution

name

14.3. Transport hazard class(es)

Class Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Yes **ERG Code**

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

IMDG

14.1. UN number UN1791

14.2. UN proper shipping Hypochlorite Solution

name

14.3. Transport hazard class(es)

Class Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards

Marine pollutant Yes (P) **EmS** F-A, S-B

14.6. Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Not regulated.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding.

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Sodium hydroxide (CAS 1310-73-2)

Sodium Hypochlorite (14-15% active chlorine) (CAS 7681-52-9)

Directive 94/33/EC on the protection of young people at work

Sodium hydroxide (CAS 1310-73-2)

Sodium Hypochlorite (14-15% active chlorine) (CAS 7681-52-9)

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

The product is classified and labelled in accordance with EC directives or respective national laws.

Additional information is given in the Material Safety Data Sheet.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work. Follow national regulation for work

with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements or R-phrases and H-statements

under Sections 2 to 15 R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns. R38 Irritating to skin.

R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Revision information

Training information

None.

Follow training instructions when handling this material.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.

MANUFACTURER DISCLAIMER: The information given within this SDS is correct to the best of our knowledge, information and belief at the date of its revision and publication. However, the manufacturer makes no representation, warranty or guarantee as to its accuracy, reliability or completeness, nor assumes any liability for its use. It is the user's responsibility to confirm in advance that the information is current, applicable and suitable to their circumstances for each particular use. No representative of ours has authority to waive this provision. Please call for document accuracy if the revision date has exceeded 3 years.

Material name: Thick Bleach SDS UK CLP

1587 Version #: 01 Issue date: 15-July-2015