

80,000 HOURS













1-10V DIMMABLE

INDUSTRIAL RANGE





The Hyskeir Pro Highbay has been re-designed to focus on **sustainability.** The improved Hyskeir Pro 4 Highbay has been increased to 165lm/W. Keeping delivered lumens the same to mimic traditional HID outputs whilst lowering system wattages to give the very best energy savings and drive us towards carbon neutrality. A lifetime of up to 120,000 hours ensures your lighting is reliant and sustainable for many years to come. And packaging volume has been reduced by 35-45% using fully recyclable cardboard.

An all in one solution for your highbay requirements.

HYSKEIR HIGHBAY PRO 4

155W Hyskeir Pro 4 Highbay, 840, 1-10V

Order Code: IND167v4-C10


25500
80-89
No
0.4
165
4000-4000
SDCM3
Symmetric
None

Life Data		
Rated Life (Hrs)	Ta = 25C	Ta = Tmax
	120000	80000
Lumens Maintenance (Hrs)	Ta = 25C	Ta = Tmax
	B50	B50
L70	120000	80000
L80	80000	-
L90	-	- -

146-146
No
No
No
Yes
Yes
Yes
650-1300
6
11
155
120-277
AC
0.97
5
1
Ending
Yes

Physical Data	
Warranty (yrs)	5
With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-30-40
Degree of Protection (IP)	IP65
Mounting Method	Pendant
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Height/Depth (mm)	145
Diameter (mm)	262
Lamp Type	LED exchangeable
Ball Proof	Yes
Impact Strength	IK10





155W Hyskeir Pro 4 Highbay, 840, 1-10V

Order Code: IND167v4-C10

Accessories
ACS137 - 60° Aluminium Reflector
ACS138 - 90° Aluminium Reflector
ACS142 - 90° Polycarbonate Reflector
ACS193 - Large 90° Polycarbonate Reflector
ACS140v2 - Programming Remote for SMD Microwave Sensor
ACS141 - Surface Mounting Bracket

Logistical Data		
Gross Weight (kg)	3.2	
Packaging Length (mm)	275	
Packaging Width (mm)	275	
Packaging Height (mm)	168	