


# Rittal – The System.

Faster – better – everywhere.



## DK 7113.000

### Earth rail, horizontal

State: 20/09/2023 (Source: [rittal.com/uk-en](https://www.rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# DK 7113.000 - Earth rail, horizontal for VX, VX SE, VX IT

Potential equalisation rail, current carrying capacity approx. 200 A.

## Features

|                       |                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.             | DK 7113.000                                                                                                                                                                               |
| Product description   | Current carrying capacity approx. 200 A.                                                                                                                                                  |
| Supply includes       | Earth rail made from E-Cu 57 to DIN EN 12 163, DIN EN 13 601, 15 x 5 mm<br>20 connection points with M5 screws<br>2 earth connections 25 mm <sup>2</sup><br>2 isolators<br>Assembly parts |
| Dimensions            | Width: 15 mm<br>Height: 5 mm<br>Length: 450 mm                                                                                                                                            |
| To fit                | Enclosure type: VX<br>VX SE<br>VX IT<br>Width: = 600 mm<br>= 800 mm                                                                                                                       |
| Packs of              | 1 pc(s).                                                                                                                                                                                  |
| Weight/pack           | 0.438 kg                                                                                                                                                                                  |
| Customs tariff number | 74198090                                                                                                                                                                                  |
| EAN                   | 4028177124943                                                                                                                                                                             |
| ETIM 7.0              | EC000329                                                                                                                                                                                  |
| ECLASS 8.0            | 27400605                                                                                                                                                                                  |

## Approvals

|              |     |
|--------------|-----|
| Certificates | EAC |
|--------------|-----|

# Approvals

---

Explanations

Manufacturer's declaration

## Tender text

Earth rail / potential equalisation rail

For installing in network enclosures or wall-mounted distribution enclosures. The E-Cu 57 earth rail has two isolators, 20 M5 earth connections and two 25 mm earth connections. The rail's current carrying capacity is 30A.

Earthing rail length: 450 mm