

---

PRODUCT-DETAILS

# KFS20/W/50M

## KORIFIT WHITE 20MM PVC STAND.



---

### General Information

Extended Product Type	KFS20/W/50M
Product ID	7TCA296140R0038
EAN	5020963006418
Catalog Description	KORIFIT WHITE 20MM PVC STAND.
Long Description	Standard Weight Conduit, Nominal Conduit Size 20mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 19.8mm, Inside Diameter 14.3mm, Static Bend Radius 30mm, Reel Length 50 Meters, PVCu, White

---

### Ordering

EAN	5020963006418
Customs Tariff Number	3926909990

---

### Dimensions

Product Net Weight	7.17 lb 3.252 kg
--------------------	---------------------

---

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm
Package Level 3 Units	1 piece

### Additional Information

Application	Indoors / Outdoors, General Purpose Applications
Brand / Label	Adaptaflex
Color	White
Flexibility	Pliable
Inside Diameter	14.3 mm
Material	PVCu
Nominal Size	NW17
Number of Batteries	0
Outside Diameter	19.8 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	30 mm
UPC	786210248202

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	KFS20/W/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	KFS20/W/50M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

