


## COMBI 108 LG

Junction box, polypropylene



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                     |                                                                                       |
|-------------------------------------|---------------------------------------------------------------------------------------|
| <b>Material</b>                     | Polypropylene                                                                         |
| <b>Material sealing gasket</b>      | TPE                                                                                   |
| <b>Temp. range min</b>              | -30 °C                                                                                |
| <b>Temp. range max</b>              | 100 °C                                                                                |
| <b>Temperatures during install.</b> | -5 °C - 60 °C                                                                         |
| <b>Protection class</b>             | IP66                                                                                  |
| <b>Glow wire test</b>               | 750 °C                                                                                |
| <b>Voltage</b>                      | 400 V                                                                                 |
| <b>Rated cross section</b>          | 2,5 mm <sup>2</sup>                                                                   |
| <b>Fixing</b>                       | 2 internal openings                                                                   |
| <b>Ø cable diameter min</b>         | 3 mm                                                                                  |
| <b>Ø cable diameter max</b>         | 14 mm                                                                                 |
| <b>External dimensions LxWxH</b>    | 76 x 76 x 51mm                                                                        |
| <b>Using for cable gland</b>        |  |
| <b>Product Color</b>                | RAL 7035                                                                              |
| <b>WISKA-Order no.</b>              | 10060522                                                                              |
| <b>Type</b>                         | COMBI 108 LG                                                                          |
| <b>Packing unit</b>                 | 10                                                                                    |
| <b>EAN number</b>                   | 4007685605229                                                                         |
| <b>Tariff number</b>                | 39269097                                                                              |
| <b>ETIM-Classification</b>          | EC002600                                                                              |

Remarks:

Equipment:

- 10 elastic self-sealing puncture-membranes for cable entry on the side and 2 in the bottom

Your Contact:

**WISKA UK Ltd.**

Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain

☎ +44-12-08816062 · 📠 +44-12-08816708

info@wiska.co.uk · www.wiska.co.uk

**Fixing:**

By two internal openings outside of the sealing area

**Recommended accessories**

|                                       |          |
|---------------------------------------|----------|
| DIN Rail Kit - COMBI 108/308/TS15     | 10060362 |
| MP-S Mounting plate small             | 10105774 |
| MP-L Mounting plate large COMBI / WHK | 10105775 |
| ZER 4-12 LG                           | 10109800 |
| ZER 11-18 LG                          | 10110766 |
| SP-KT-W 221/CSM-3x221-413             | 22001114 |
| SP-KT-W 221/CSM                       | 22001115 |
| SP-HKT 11/5 Terminal block            | 22001132 |

20.09.2023


**Your Contact:**

**WISKA UK Ltd.**

Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain

☎ +44-12-08816062 · 📠 +44-12-08816708

info@wiska.co.uk · www.wiska.co.uk



Your Contact:


**WISKA UK Ltd.**

Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain

☎ +44-12-08816062 · 📠 +44-12-08816708

info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice



Your Contact:

**WISKA UK Ltd.**

Unit 7, Hurling Way · St. Columb Major Business Park · TR9 6SX, St. Columb Major, Cornwall · Great Britain

☎ +44-12-08816062 · 📠 +44-12-08816708

info@wiska.co.uk · www.wiska.co.uk

Other technical data on request / subject to change without notice