



Technical Data

Bell Transformer

Product Description

Introduction

This bell transformer is part of the BG range of control devices and is suitable for use within any BG consumer unit or enclosure. It is DIN rail mountable and changes 240v AC power into either 8, 12 or 24V AC, providing constant power to the mains powered door bell.

It can be used as part of a high integrity circuit so that it is not affected by an RCD tripping.

For more information on the rest of the Fortress range of products please visit the BG Electrical website

Product Images



Technical Specification

Function	Bell Transformer Module
Rated Input Voltage	230 V AC
Rated Output Voltage	8, 12, 24 V AC
Rated Frequency	50 / 60 Hz
Rated Power Output	8 VA 8V = 1A 12V = 0.667A 24V = 0.333A
Installation	Indoor
Consumption	1.15 W
Finish	White gloss
Service Period	Continuous Operation
Installation	Suitable on 35mm DIN Rail
Terminal Size	Accepts up to 16mm ² Cable

CUB1 Size (mm) & Weight (kg)

Cat No.	Dimensions (mm)			Unpacked Product Weight(kg)
	Height	Width	Depth	
CUB1	80	68	35	0.32

Packaging Information

Cat No.	Description	Pack Quantity			Barcode		
		Product	Inner Box	Outer Box	Individual	Inner Box	Outer Box
CUB1	Bell Transformer	1	NA	50	5050765025034	NA	5050765029506