

BOSTON S1P SRC



POLYESTER SHOES - S1P HRO SRC

Model BOSTONS1P



Product specifications

Upper: Woven polyester with TPU front reinforcement. Lining: Polyester. Insock: Removable premolded - Polyester on EVA. Outsole: Cemented - Phylon. Outsole: Rubber Nitrile. Non metallic footwear.

COLOUR

Black

SIZE

39, 40, 41, 42, 43, 44, 45, 46, 47

Product Features and Benefits



RUBBER NITRILE OUTSOLE

Good resistance to abrasion and contact heat
(HRO = 300°C for 1 minute)
Optimum adhesion

WELDED SOLE WITH PHYLON MIDSOLE (EVA)

Incomparable comfort and lightness

EVA outsole preformed and removable

Reinforced ergonomics and comfort in foot movements



Polyester woven upper with TPU yarns (3D patterns)

Increased resistance of the upper to abrasion
Increased breathability and optimal comfort
Improved lightness and flexibility
More technical and modern construction



Retro-reflective tapes

Increased visibility for better safety



Outsole with protection toe bumper and TPU counter

Reinforced protection of the front and back of the foot
Increased durability
Stabilisation of the foot when walking



COMPOSITE



Composite toe cap 200j Lightweight and less fatigue Non conductive hot and cold



NON METALLIC Compatible with security checks (metal detectors)



Anti-perforation composite protective midsole Increased flexibility at the metatarsal level

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 20344:2011 Personal protective equipment - Test methods for footwear

EN ISO 20345:2011 Personal protective equipment - Safety footwear.

S1P HRO: Additional special requirements

SRC: Slip resistance

Item details

Item details	Bar code	COLOUR	SIZE		
BOSTOSPNO40	3295249255787	Black	40	10	-
BOSTOSPNO41	3295249255794	Black	41	10	-
BOSTOSPNO42	3295249255800	Black	42	10	-
BOSTOSPNO43	3295249255817	Black	43	10	-
BOSTOSPNO44	3295249255824	Black	44	10	-
BOSTOSPNO45	3295249255831	Black	45	10	-
BOSTOSPNO46	3295249255848	Black	46	10	-
BOSTOSPNO47	3295249255855	Black	47	10	-
BOSTOSPNO39	3295249255732	Black	39	10	-