



# **CorePro LEDbulb**



# CorePro LEDbulb ND 7.5-60W A60 E27 940UK

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

#### **Product data**

General Information		
Cap base	E27 [E27]	
Nominal lifetime	15,000 h	
Switching Cycle	50,000	
Lighting Technology	LED	
Flux measurement reference	Sphere	
EU RoHS compliant	Yes	
Light Technical		
Colour Code	940 [CCT of 4000K]	
Beam angle (nom.)	180 degree(s)	
Luminous Flux	806 lm	
Colour designation	Cool White (CW)	
Correlated Colour Temperature	4000 K	
Luminous efficacy (rated) (nom.)	107 lm/W	
Colour consistency	<6	
Colour rendering index (CRI)	90	
LLMF at end of nominal lifetime (nom.)	70 %	
Flickering value (PstLM)	1	
Stroboscopic effect	0.4	
Photobiological safety according to EN 62471 RG0		
Operating and Electrical		
Line Frequency	50 Hz	
Input frequency	50 Hz	

Power Consumption	7.5 W
Lamp current (nom.)	60 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (nom.)	220-240 V
Temperature	
Ambient temperature range	-20°C to 45°C
T-Case maximum (nom.)	95 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Frosted
Bulb material	Plastic
Bulb shape	A60 [A 60 mm]
Approval and Application	
Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	8 kWh
EPREL registration number	1218492


Datasheet, 2023, April 15 data subject to change

# CorePro LEDbulb

EyeComfort	Yes
Product Data	
Full EOC	871951447506900
Order product name	CorePro LEDbulb ND 7.5-60W A60 E27
	940UK
Order code	47506900
SAP numerator – quantity per pack	1


Numerator – packs per outer box	10
Material no. (12 NC)	929003543599
Full product name	CorePro LEDbulb ND 7.5-60W A60 E27
	940UK
EAN/UPC - Case	8719514475076
EAN/UPC - Product/Case	8719514475069


# Dimensional drawing



Product	D	С
CorePro LEDbulb ND 7.5-60W A60 E27 940UK	60 mm	107 mm


#### Photometric data





Light Distribution Diagram - CorePro LEDbulb ND 7.5-60W A60 E27 940UK







Spectral Power Distribution Colour - CorePro LEDbulb ND 7.5-60W A60 E27 940UK

### CorePro LEDbulb

#### Lifetime





Life Expectancy Diagram - CorePro LEDbulb ND 7.5-60W A60 E27 940UK

Lumen Maintenance Diagram - CorePro LEDbulb ND 7.5-60W A60 E27 940UK

