Eaton RS32H

Catalog Number: RS32H

Fuse accessory, Fuse-holder, low voltage, 32 A, AC 690 V, BS88/A2, 1P, BS, front connected, black, fuse-links TIA AAO H07-660 $\,$

General specifications



Eaton Bussmann series low voltage British standard fuse holder

EAN

5027590506915

Product Height

103 mm

Product Weight

254.9 g

Compliances

Contact factory

Catalog Number

RS32H

UPC

051712390873

Product Length/Depth

70 mm

Product Width

31 mm

Warranty

1 year limited



Product specifications

Construction size

Other

Connection

Front Connected

Connection type

Screwed terminal

Features

Halogen free

Voltage rating at DC

460 V d.c.

Mounting method

Screw-on

Amperage Rating

32 A

Voltage rating at AC

660-690 V a.c.

Number of Poles

Single-pole

Fuse type

TIA

AAO

Accessories

RS32LOCK, RS32RED

Type

fuse accessory

Bus-mounting type

No

Model

Red Spot

Voltage rating

690 V

Application

general industrial applications

Resources

Brochures

eaton-bus smann series-bs 88-fuses-industrial-motor-use-product-aid-pal 34006-en-gb.pdf

Catalogs

RS32H~Eaton Bussmann series low voltage British standard fuse holder

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA Redspot fuse-holders

CE Redspot fuse-holders



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia