

Eaton TKM315

Catalog Number: TKM315

Fuse-link, LV, 315 A, AC 660 V, DC 460 V, BS88, 53 x 160 mm, gL/gG, BS

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage	TKM315
British standard fuse	EAN
	5996516026496
Product Length/Depth	Product Height
161 mm	53 mm
Product Width	Product Weight
53 mm	509 g
Compliances	Certifications
CE Marked	BS88
RoHS Compliant	IEC 60269
	EAC



Electrical rating

Amperage Rating

315 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

660 V

Voltage type

AC/DC

Physical details

Color

None

Fuse type

TKM

General information

Class

Class gG/gL

Connection

133 mm fixing centre

Construction size

Other

Fitted with:

Centre bolted tags

Fuse indicator

None

Fuse shape

Center bolted tags

Insulated metal gripping lugs (IMGL)

No

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Compliance information

[UKCA Redspot fuse-links](#)

[CE Redspot fuse-links](#)

Installation videos

[Video BS88 industrial fuse links](#)

Technical data sheets

[10078 Red spot centre bolted fuses:TB, TBC, TC, TF, TKF, TKM, TMF, TM, TMT, TTM, TLM, TT, TLU,TXU fuses](#)

Technical service bulletins

[Datasheet - TKM315](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)