

ADHESIVE PANEL PLATES WITH HOLES, PRE-CUT, RIVETABLE, RIGID PVC



Features

TECHNICAL INFORMATION

Minimum operating temperature	-30 °C
Maximum operating temperature	60 °C
Minimum application temperature	10 °C
Maximum application temperature	40 °C
Type of adhesive	acrylic double sided tape
Type of application surface	smooth flat
Self-extinguishing fire class according to UL 94	V0

LOGISTIC

Storage temperature	15 ÷ 25 °C
Relative humidity of storage	45 ÷ 55
Customs code	39199080

COMPATIBILITY

Ribbon	MG2-ETR
Printable with	MG3; MG4

MATERIAL COMPOSITION AND TREATMENTS

Silicone-free	Yes
Halogen free	No

CLASSIFICATION AND DATA ORDERING

ETIM Class 7	Labelling material [EC001288]
Manufactured in	Italy

MG-VRT-AH

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	Hole diameter [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code	Plates
88207	Rosso	4	1	4	Rigid PVC	25	4	75	75	25	4,520	809	MG2-PLT
88720GY	Grey	10	2	5	Rigid PVC	20	4	40	40	20	1,832	864	MG2-PLT
88906	White	8	2	4	Rigid PVC10050WH	25	4	50	50	25	2,300	860	MG2-PLT
88907	White	4	1	4	Rigid PVC10050WH	25	4	75	75	25	4,108	809	MG2-PLT
88909	White	3	1	3	Rigid PVC10050WH	35	4	100	100	35	6,000	818	MG2-PLT
88910	White	3	1	3	Rigid PVC10050WH	35	4	100	100	35	6,027	818	MG2-PLT
88911	White	2	1	2	Rigid PVC10050WH	50	4	100	100	50	8,400	811	MG2-PLT
88912	White	1	1	1	Rigid PVC10050WH	105	4	110	110	105	18,960	859	MG2-PLT
88914	White	4	1	4	Rigid PVC10050WH	25	4	100	100	25	4,580	206	MG2-PLT
88915	White	1	1	1	Rigid PVC10050WH	75	5	120	120	75	19,760	816	MG2-PLT
88920	White	10	2	5	Rigid PVC10050WH	20	4	40	40	20	1,824	864	MG2-PLT
88922	White	2	1	2	Rigid PVC10050WH	42	4	78	78	42	8,320	819	MG2-PLT
88927	White	4	1	4	Rigid PVC10050WH	25	4	140	140	25	5,080	871	MG2-PLT
88919	White	2	1	2	Rigid PVC10050WH	50	4	140	140	50	9,200	872	MG2-PLT
88619	Blue	2	1	2	Rigid PVC	50	4	140	140	50	10,440	872	MG2-PLT
88237	Rosso	1	1	1	Rigid PVC	102	4	138	138	102	20,480	208	MG2-PLT
88940	White	14	2	7	Rigid PVC10050WH	15	4	52	52	15	1,286	831	MG2-PLT
88942	White	4	1	4	Rigid PVC10050WH	25	4	80	80	25	4,600	832	MG2-PLT
88943	White	3	1	3	Rigid PVC10050WH	30	4	140	140	29	5,867	834	MG2-PLT
88941	White	6	2	3	Rigid PVC10050WH	35	4	50	50	35	3,053	833	MG2-PLT
88140	Black RAL 9005	14	2	7	Rigid PVC	15	4	52	52	15		831	MG2-PLT
88142	Black RAL 9005	4	1	4	Rigid PVC	25	4	80	80	25	4,600	832	MG2-PLT
88143	Black RAL 9005	3	1	3	Rigid PVC	30	4	140	140	29	6,640	834	MG2-PLT

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	Hole diameter [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code	Plates
88141	Black RAL 9005	6	2	3	Rigid PVC	35	4	50	50	35		833	MG2-ETR
88712GY	Grey	1	1	1	Rigid PVC	105	4	110	110	105	18,160	859	MG2-PLT
88944	White	3	1	3	Rigid PVC10050WH	35	4	85	85	35	6,080	823	MG2-PLT
88938	White	1	1	1	Rigid PVC10050WH	82	4	142	142	82	20,080	836	MG2-PLT
88939	White	3	1	3	Rigid PVC10050WH	35	4	142	142	35	6,560	835	MG2-PLT
88406	Yellow	8	2	4	Rigid PVC10050YE	25	4	50	50	25	2,260	860	MG2-PLT
88407	Yellow	4	1	4	Rigid PVC10050YE	25	4	75	75	25	4,526	809	MG2-PLT
88409	Yellow	3	1	3	Rigid PVC10050YE	35	4	100	100	35	6,027	818	MG2-PLT
88410	Yellow	3	1	3	Rigid PVC10050YE	35	4	100	100	35	5,973	818	MG2-PLT
88411	Yellow	2	1	2	Rigid PVC10050YE	50	4	100	100	50	9,040	811	MG2-PLT
88412	Yellow	1	1	1	Rigid PVC10050YE	105	4	110	110	105	18,080	859	MG2-PLT
88414	Yellow	4	1	4	Rigid PVC10050YE	25	4	100	100	25	4,560	206	MG2-PLT
88415	Yellow	1	1	1	Rigid PVC10050YE	75	4	120	120	75	20,160	816	MG2-PLT
88420	Yellow	10	2	5	Rigid PVC10050YE	20	4	40	40	20	1,272	864	MG2-PLT
88422	Yellow	2	1	2	Rigid PVC10050YE	42	4	78	78	42	8,400	819	MG2-PLT
88427	Yellow	4	1	4	Rigid PVC10050YE	25	4	140	140	25	4,320	871	MG2-PLT
88956	White	2	1	2	Rigid PVC10050WH	50	4	150	150	50	10,320	843	MG2-PLT
88637	Blue	1	1	1	Rigid PVC	102	4	138	138	102	20,320	208	MG2-PLT
88967	White	3	1	3	Rigid PVC10050WH	30	4	115	115	30	6,720	780	MG2-PLT
88467	Yellow	3	1	3	Rigid PVC10050YE	30	4	115	115	30	6,560	780	MG2-PLT
88968	White	2	1	2	Rigid PVC10050WH	40	4	150	40	150	10,400	781	MG2-PLT
88468	Yellow	2	1	2	Rigid PVC10050YE	40	4	150	40	150	10,400	781	MG2-PLT
88214	Rosso	4	1	4	Rigid PVC	25	4	100	100	25	4,540	206	MG2-PLT
88211	Rosso	2	1	2	Rigid PVC	50	4	100	100	50	9,080	811	MG2-PLT
88444	Yellow	3	1	3	Rigid PVC10050YE	35	4	85	85	35	6,049	823	MG2-PLT
88929	White	3	1	3	Rigid PVC10050WH	35	4	75	75	35		817	MG2-PLT

