

ADHESIVE PANEL PLATES, PRE-CUT, RIGID PVC



Features

TECHNICAL INFORMATION

Minimum operating temperature	-30 °C
Maximum operating temperature	60 °C
Minimum application temperature	10 °C
Maximum application temperature	40 °C
Type of adhesive	acrylic double sided tape
Type of application surface	flat smooth; curved smooth
Self-extinguishing fire class according to UL 94	V0

WEIGHT AND DIMENSIONS

Hole diameter	0 mm
---------------	------

CLASSIFICATION AND DATA ORDERING

ETIM Class 7	Labelling material [EC001288]
Manufactured in	Italy

MATERIAL COMPOSITION AND TREATMENTS

Silicone-free	Yes
Halogen free	No

LOGISTIC

Relative humidity of storage	45 ÷ 55
Customs code	39199080

COMPATIBILITY

Ribbon	MG2-ETR
Printable with	MG3; MG4

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Storage temperature [°c]	Software code	Plates
88655	Blue	7	1	7	Rigid PVC	102	15	102	15	2,731	10 ÷ 25	829	MG2-PLT
88628	Blue	1	1	1	Rigid PVC	138	102	138	102	18,416	10	207	MG2-PLT
88613	Blue	1	1	1	Rigid PVC	118	92	118	92	19,120	10 ÷ 25	813	MG2-PLT
88603	Blue	2	1	2	Rigid PVC	107	52	107	52	9,080	10 ÷ 25	204	MG2-PLT
88616	Blue	8	2	4	Rigid PVC	50	25	50	25	2,035	10 ÷ 25	853	MG2-PLT
88617	Blue	3	1	3	Rigid PVC	100	35	100	35	6,320	10 ÷ 25	810	MG2-PLT
88605	Blue	4	1	4	Rigid PVC	100	25	100	25	4,000	10 ÷ 25	205	MG2-PLT
88900N	White	6	2	3	PVC PVC10050WH	58	32	58	32	3,038	10 ÷ 25	200	MG2-PLT
88608	Blue	4	1	4	Rigid PVC	80	25	80	25	4,710	10 ÷ 25	861	MG2-PLT
88973	White	5	5	1	PVC PVC10050WH	127	20	127	20	4,000	10 ÷ 25	826	MG2-PLT
88945	White	3	1	3	PVC PVC10050WH	34	74	34	74	6,133	10 ÷ 25	825	MG2-PLT
88601	Blue	2	1	2	Rigid PVC	78	42	78	42	8,204	10 ÷ 25	202	MG2-PLT
88901	White	2	1	2	PVC PVC10050WH	78	42	78	42	8,406	10 ÷ 25	202	MG2-PLT
88902	White	1	1	1	PVC PVC10050WH	88	62	88	62	18,400	10 ÷ 25	203	MG2-PLT
88971	White	2	2	1	PVC PVC10050WH	82.5	57	82.5	57	8,198	10 ÷ 25	841	MG2-PLT
88903	White	2	1	2	PVC PVC10050WH	107	52	107	52	8,360	10 ÷ 25	204	MG2-PLT
88962	White	2	2	1	PVC PVC10050WH	100	60	100	60	9,012	10 ÷ 25	821	MG2-PLT
88963	White	1	1	1	PVC PVC10050WH	122	65	122	65	20,240	10 ÷ 25	845	MG2-PLT
88964	White	1	1	1	PVC PVC10050WH	140	90	140	90	20,160	10 ÷ 25	846	MG2-PLT
88235	Rosso	2	1	2	Rigid PVC	138	40	138	40	7,987	10 ÷ 25	822	MG2-PLT
88228	Rosso	1	1	1	Rigid PVC	138	102	138	102	19,440	10 ÷ 25	207	MG2-PLT
88946	White	4	1	4	PVC PVC10050WH	140	25	140	25	4,820	10 ÷ 25	824	MG2-PLT
88935	White	2	1	2	PVC PVC10050WH	138	40	138	40	9,920	10 ÷ 25	822	MG2-PLT
88928	White	1	1	1	PVC PVC10050WH	138	102	138	102	18,772	10 ÷ 25	207	MG2-PLT

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Storage temperature [°c]	Software code	Plates
88904	White	1	1	1	PVC PVC10050WH	104	109	104	109	18,288	10 ÷ 25	812	MG2- PLT
88005	Black RAL 9005	4	1	4	Rigid PVC	100	25	100	25	4,660	10 ÷ 25	205	MG2- PLT
88918	White	4	2	2	PVC PVC10050WH	49	49	49	49	4,640	10 ÷ 25	858	MG2- PLT
88905	White	4	1	4	PVC PVC10050WH	24	99	24	99	4,600	10 ÷ 25	205	MG2- PLT
88917	White	3	1	3	PVC PVC10050WH	34	99	34	99	5,893	10 ÷ 25	810	MG2- PLT
88908	White	4	1	4	PVC PVC10050WH	27	79	27	79	4,360	10 ÷ 25	861	MG2- PLT
88913	White	1	1	1	PVC PVC10050WH	91	117	91	117	18,640	10 ÷ 25	813	MG2- PLT
88916	White	8	2	4	PVC PVC10050WH	24	49	24	49	2,030	10 ÷ 25	853	MG2- PLT
88400N	Yellow	6	2	3	PVC PVC10050YE	58	32	58	32	3,053	10 ÷ 25	200	MG2- PLT
88446	Yellow	4	1	4	PVC PVC10050YE	140	25	140	25	5,080	10 ÷ 25	824	MG2- PLT
88401	Yellow	2	1	2	PVC PVC10050YE	41	77	41	77	8,960	10 ÷ 25	202	MG2- PLT
88402	Yellow	1	1	1	PVC PVC10050YE	88	62	88	62	18,080	10 ÷ 25	203	MG2- PLT
88116	Black RAL 9005	8	2	4	Rigid PVC	50	25	50	25	2,280	10 ÷ 25	853	MG2- PLT
88403	Yellow	2	1	2	PVC PVC10050YE	107	52	107	52	8,960	10 ÷ 25	204	MG2- PLT
88101	Black RAL 9005	2	1	2	Rigid PVC	78	42	78	42	8,218	10 ÷ 25	202	MG2- PLT
88000N	Black RAL 9005	6	2	3	Rigid PVC	58	32	58	32	2,992	10 ÷ 25	200	MG2- PLT
88103	Black RAL 9005	2	1	2	Rigid PVC	107	52	107	52	8,270	10 ÷ 25	204	MG2- PLT
88128	Black RAL 9005	1	1	1	Rigid PVC	138	102	138	102	17,420	10 ÷ 25	207	MG2- PLT
88113	Black RAL 9005	1	1	1	Rigid PVC	118	92	118	92	16,800	10 ÷ 25	813	MG2- PLT
88118	Black RAL 9005	4	2	2	Rigid PVC	50	50	50	50	4,580	10 ÷ 25	858	MG2- PLT
88108	Black RAL 9005	4	1	4	Rigid PVC	80	25	80	25	4,620	10 ÷ 25	861	MG2- PLT
88135	Black RAL 9005	2	1	2	Rigid PVC	138	40	138	40	9,132	10 ÷ 25	822	MG2- PLT
88404	Yellow	1	1	1	PVC PVC10050YE	110	105	110	105	18,400	10 ÷ 25	812	MG2- PLT

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Storage temperature [°c]	Software code	Plates
88428	Yellow	1	1	1	PVC PVC10050YE	138	102	138	102	17,600	10 ÷ 25	207	MG2-PLT
88445	Yellow	3	1	3	PVC PVC10050YE	75	35	75	35	6,293	10 ÷ 25	825	MG2-PLT
88408	Yellow	4	1	4	PVC PVC10050YE	80	25	80	25	4,130	10 ÷ 25	861	MG2-PLT
88405	Yellow	4	1	4	PVC PVC10050YE	100	25	100	25	4,300	10 ÷ 25	205	MG2-PLT
88413	Yellow	1	1	1	PVC PVC10050YE	118	92	118	92	17,200	10 ÷ 25	813	MG2-PLT
88416	Yellow	8	2	4	PVC PVC10050YE	50	25	50	25	2,320	10 ÷ 25	853	MG2-PLT
88417	Yellow	3	1	3	PVC PVC10050YE	100	35	100	35	6,000	10 ÷ 25	810	MG2-PLT
88418	Yellow	4	2	2	PVC PVC10050YE	50	50	50	50	4,587	10 ÷ 25	858	MG2-PLT
88007	Black RAL 9005	3	1	3	Rigid PVC	100	35	100	35	6,320	10 ÷ 25	810	MG2-PLT
88762GY	Grey	2	2	1	Rigid PVC	100	60	100	60	10,030	10 ÷ 25	821	MG2-PLT
88735GY	Grey	2	1	2	Rigid PVC	138	40	138	40	10,188	10 ÷ 25	822	MG2-PLT
88717GY	Grey	3	1	3	Rigid PVC	100	35	100	35	5,547	10 ÷ 25	810	MG2-PLT
88728GY	Grey	1	1	1	Rigid PVC	138	102	138	102	19,920	10 ÷ 25	207	MG2-PLT
88716GY	Grey	8	2	4	Rigid PVC	50	25	50	25	2,270	10 ÷ 25	853	MG2-PLT
88701GY	Grey	2	1	2	Rigid PVC	78	42	78	42	8,840	10 ÷ 25	202	MG2-PLT
88702GY	Grey	1	1	1	Rigid PVC	88	62	88	62	18,320	10	203	MG2-PLT
88703GY	grey	2	1	2	Rigid PVC	32	58	107	52	9,200	10 ÷ 25	204	991002
88713GY	Grey	1	1	1	Rigid PVC	118	92	118	92	16,108	10 ÷ 25	813	MG2-PLT
88704GY	Grey	1	1	1	Rigid PVC	110	105	110	105	19,840	10 ÷ 25	812	MG2-PLT
88700NGY	Grey	6	2	3	Rigid PVC	58	32	58	32	3,447	10 ÷ 25	200	MG2-PLT
88708GY	Grey	4	1	4	Rigid PVC	80	25	80	25	4,620	10 ÷ 25	861	MG2-PLT
88771GY	Grey	2	2	1	Rigid PVC	82.5	57	82.5	57	9,080	10 ÷ 25	841	MG2-PLT
88200N	Rosso	6	2	3	Rigid PVC	58	32	58	32	3,387	10 ÷ 25	200	MG2-PLT
88216	Rosso	8	2	4	Rigid PVC	50	25	50	25	2,270	10 ÷ 25	853	MG2-PLT
88217	Rosso	3	1	3	Rigid PVC	100	35	100	35	6,107	10 ÷ 25	810	MG2-PLT
88203	Rosso	2	1	2	Rigid PVC	107	52	107	52	8,360	10 ÷ 25	204	MG2-PLT

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Storage temperature [°c]	Software code	Plates
88205	Rosso	4	1	4	Rigid PVC	100	25	100	25	4,760	10 ÷ 25	205	MG2- PLT
88208	Rosso	4	1	4	Rigid PVC	80	25	80	25	4,200	10 ÷ 25	861	MG2- PLT
88213	Rosso	1	1	1	Rigid PVC	118	92	118	92	18,080	10 ÷ 25	813	MG2- PLT
88204	Rosso	1	1	1	Rigid PVC	110	105	110	105	20,000	10 ÷ 25	812	MG2- PLT
88201	Rosso	2	1	2	Rigid PVC	78	42	78	42	9,280	10 ÷ 25	202	MG2- PLT
88516	Green	8	2	4	Rigid PVC	50	25	50	25	2,290	10 ÷ 25	853	MG2- PLT
88517	Green	3	1	3	Rigid PVC	100	35	100	35	6,053	10 ÷ 25	810	MG2- PLT
88745GY	Grey	3	1	3	Rigid PVC	75	35	75	35	5,535	10 ÷ 25	825	MG2- PLT
88600N	Blue	6	2	3	Rigid PVC	58	32	58	32	3,393	10 ÷ 25	200	MG2- PLT