

PANEL PLATES WITH HOLES, PRE-CUT, RIVETABLE, RIGID PVC



Features

TECHNICAL INFORMATION

Minimum operating temperature	-30 °C
Maximum operating temperature	60 °C
Self-extinguishing fire class according to UL 94	V0

WEIGHT AND DIMENSIONS

Hole diameter	4 mm
---------------	------

CLASSIFICATION AND DATA ORDERING

ETIM Class 7	Labelling material [EC001288]
--------------	-------------------------------

MATERIAL COMPOSITION AND TREATMENTS

Silicone-free	Yes
---------------	-----

LOGISTIC

Customs code	39204910
--------------	----------

MG-VRT-RH

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Halogen free	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Storage temperature [°C]	Relative humidity of storage	Software code	Ribbon	Printable with	Plates
48927	White	2	2	1	PVC 10050WH	No	60	100	86	46	6,960	15 ÷ 25	45 ÷ 55	842	MG2-ETR	MG3; MG4	MG2-PLT
48237	Rosso	3			Rigid PVC		35	80			4,453			827			
48215	Rosso	1			Rigid PVC		75	120			13,800			816			
48406	Yellow	8			Rigid PVC	No	25	50			1,560	10 ÷ 25	45 ÷ 55	860	MG2-ETR	MG3; MG4	MG2-PLT
48438	Yellow	7			Rigid PVC	No	15	80			1,886	10 ÷ 25	45 ÷ 55	828	MG2-ETR	MG3; MG4	MG2-PLT
48407	Yellow	4			Rigid PVC	No	25	75			3,180	10 ÷ 25	45 ÷ 55	809	MG2-ETR	MG3; MG4	MG2-PLT
48437	Yellow	3			Rigid PVC	No	35	80			4,267	10 ÷ 25	45 ÷ 55	827	MG2-ETR	MG3; MG4	MG2-PLT
48409	Yellow	3			Rigid PVC	No	35	100			4,160	10 ÷ 25	45 ÷ 55	818	MG2-ETR	MG3; MG4	MG2-PLT
48411	Yellow	2			Rigid PVC	No	50	100			6,569	10 ÷ 25	45 ÷ 55	811	MG2-ETR	MG3; MG4	MG2-PLT
48412	Yellow	1			Rigid PVC	No	105	110			12,800	10 ÷ 25	45 ÷ 55	859	MG2-ETR	MG3; MG4	MG2-PLT
48414	Yellow	4			Rigid PVC	No	25	100			3,040	10 ÷ 25	45 ÷ 55	206	MG2-ETR	MG3; MG4	MG2-PLT
48415	Yellow	1			Rigid PVC	No	75	120			13,400	10 ÷ 25	45 ÷ 55	816	MG2-ETR	MG3; MG4	MG2-PLT
48421	Yellow	1			Rigid PVC	No	82	142			13,360	10 ÷ 25	45 ÷ 55	836	MG2-ETR	MG3; MG4	MG2-PLT
48712GY	Grey	1			Rigid PVC		105	110			14,440			859			
48806GY	Grey	8			Rigid PVC		25	50			1,660			860			
48811GY	Grey	2			Rigid PVC		50	100			6,572			811			
49906	White	21	3	7	PVC 10050WH	No	15	35	13	21	0,574	15 ÷ 25	45 ÷ 55	837	MG2-ETR	MG3; MG4	MG2-PLT
48906	White	8	2	4	PVC 10050WH	No	25	50	23	34	1,570	15 ÷ 25	45 ÷ 55	860	MG2-ETR	MG3; MG4	MG2-PLT
48924	White	14	2	7	PVC 10050WH	No	15	52	13	36	0,914	15 ÷ 25	45 ÷ 55	831	MG2-ETR	MG3; MG4	MG2-PLT
48907	White	4	1	4	PVC 10050WH	No	25	75	23	59	3,200	15 ÷ 25	45 ÷ 55	809	MG2-ETR	MG3; MG4	MG2-PLT
48931	White	4	1	4	PVC 10050WH	No	25	80	23	62	3,220	15 ÷ 25	45 ÷ 55	832	MG2-ETR	MG3; MG4	MG2-PLT
48909	White	3	1	3	PVC 10050WH	No	35	100	33	84	4,320	15 ÷ 25	45 ÷ 55	818	MG2-ETR	MG3; MG4	MG2-PLT
48932	White	3	1	3	PVC 10050WH	No	29	140	27	124	4,720	15 ÷ 25	45 ÷ 55	834	MG2-ETR	MG3; MG4	MG2-PLT
48930	White	6	2	3	PVC 10050WH	No	35	50	33	32	2,160	15 ÷ 25	45 ÷ 55	833	MG2-ETR	MG3; MG4	MG2-PLT
48911	White	2	1	2	PVC 10050WH	No	50	100	34	84	6,520	15 ÷ 25	45 ÷ 55	811	MG2-ETR	MG3; MG4	MG2-PLT

tipo	Color	Sheet elements	Number of lines	Number of columns	Material	Halogen free	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Storage temperature [°C]	Relative humidity of storage	Sofware code	Ribbon	Printable with	Plates
48912	White	1	1	1	Rigid PVC10050WH	No	105	105	89	94	14,600	15 ÷ 25	45 ÷ 55	859	MG2-ETR	MG3; MG4	MG2-PLT
48914	White	4	1	4	PVC 10050WH	No	25	100	23	84	3,130	15 ÷ 25	45 ÷ 55	206	MG2-ETR	MG3; MG4	MG2-PLT
48915	White	1	1	1	PVC 10050WH	No	75	120	51	94	13,666	15 ÷ 25	45 ÷ 55	816	MG2-ETR	MG3; MG4	MG2-PLT
48919	White	2	1	2	PVC 10050WH	No	50	140	34	124	7,040	15 ÷ 25	45 ÷ 55	872	MG2-ETR	MG3; MG4	MG2-PLT
48937	White	3	1	3	PVC 10050WH	No	35	80	33	64	4,213	15 ÷ 25	45 ÷ 55	827	MG2-ETR	MG3; MG4	MG2-PLT
48938	White	7	1	7	PVC 10050WH	No	15	80	13	64	1,817	15 ÷ 25	45 ÷ 55	828	MG2-ETR	MG3; MG4	MG2-PLT
48921	White	1	1	1	PVC 10050WH	No	82	142	66	126	13,400	15 ÷ 25	45 ÷ 55	836	MG2-ETR	MG3; MG4	MG2-PLT
48637	Blue	3			Rigid PVC		0.01	80			4,427			827			
48114	Black	4			Rigid PVC		25	100			3,260			206			
48115	Black	1			Rigid PVC		75	120						816			
48129	Black	14			Rigid PVC		15	52			0,926			831			
48131	Black	4			Rigid PVC		25	80			3,280			832			
48132	Black	3			Rigid PVC		29	140			4,880			834			
48130	Black	6			Rigid PVC		35	50			2,200			833			