



SAMY S3 SRC

WATERPROOF

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Dual-density outsole
- Padded collar for comfort and ankle support



Hygiene

- Removable insock for easy cleaning



Performance

- Waterproof design prevents water penetration
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S3 CI HI WR FO A E SRC

Technologies and labels

DELTA-TEX WATERPROOF



Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Public Services
- Forestry

Risk Protection



Antistatic



Heat



Shock



Cold



SAMY S3 SRC

WATERPROOF

Foot protection

Standards - Details

Technical details

Type of Shoe	High Shoes
Anti-perforation insert	Stainless steel
Upper material and finition	Grain Leather
Safety toe-cap	Stainless steel
Lining material	Membrane, Polyester, Delta-TEX
Lining Material Finish	Breathable
Footbed material	EVA, Polyester
Footbed caracteristic	Removable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Size	39-48
Size	39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Weight	420 g per shoe



SAMY S3 SRC

WATERPROOF

Foot protection

Logistics information

Reference	Colour	Size	Désignation	EAN13	Box code	Multiple sales	Minimum sales	Weight
SAMYS3NO36	Black	4	SAMY S3 SRC	3295249218249	13295249218246	5	1	17.5 kg
SAMYS3NO37	Black	5	SAMY S3 SRC	3295249218256	13295249218253	5	1	17.5 kg
SAMYS3NO38	Black	6	SAMY S3 SRC	3295249218263	13295249218260	5	1	17.5 kg
SAMYS3NO39	Black	6	SAMY S3 SRC	3295249218270	13295249218277	5	1	9.7 kg
SAMYS3NO42	Black	9	SAMY S3 SRC	3295249217402	13295249217409	5	1	10.9 kg
SAMYS3NO43	Black	10	SAMY S3 SRC	3295249218300	13295249218307	5	1	11.4 kg
SAMYS3NO47	Black	13	SAMY S3 SRC	3295249218348	13295249218345	5	1	19.0 kg
SAMYS3NO48	Black	14	SAMY S3 SRC	3295249218355	13295249218352	5	1	19.0 kg