

Estela Shaverlight

Bathroom Lighting



Data Sheet

Product Information

The Estela Shaverlights are supplied with 110v/240v shaver Outputs making them ideal for use around the mirror and sink area of your bathroom.

Ideally suited to domestic and Residential applications

Product Features

- 2 year warranty
- IP20
- Supplied as standard in 4000K
- 110V/240V Shaver Output
- Chrome - Class I
- White – Class II
- IP20 rated
- CRI: Ra84
- Non – Dimmable
- L70 – 30,000hrs



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	CRI (Ra)	Lumens (lm)	Protection Class
KSR6175CH	Estela 8w 4000K LED Shaverlight	8w	4000	84	560	I
KSR6175WHT	Estela 8w 4000K LED Shaverlight	8w	4000	84	560	II

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	8w including driver losses
Circuit Current	0.15A
Driver Current Rating	300mA
PFC	0.8
In Rush Current	0.25A Max Peak
Ambient temperature range	-10°C to +35°C
IP rating	20

Construction

Body:	Polycarbonate
Diffuser:	Opal Polycarbonate


Standards

BSEN60598-1:2021	Luminaires – Part 1: General requirements and tests
------------------	---

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EC
RoHS	Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.