

ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

450/750V halogen free, flame retardant cables

DESCRIPTION

Application:

Used in energy networks in refineries, mines, hotels, schools, tunnels, high constructions, hospitals, power plants, data processing centers, business centers where there is a risk of fire.


Construction:

1. Conductor: copper
2. Insulation: XL-HFFR

Marking:

NEXANS i BS EN 50525-3-41 H07Z-R

Number of cores x cross section BASEC ALSECURE



STANDARDS

National BS 7211;
BS EN 50525-3-41



Halogen free
IEC 60754-1



Conductor flexibility
Stranded class 2



Rated Voltage Uo/U
(Um)
450 / 750 V



Flame retardant
IEC 60332-1-2



Operating temp.
-20 ... 60 °C



Smoke density
IEC 61034



Gases corrosivity
IEC 60754-2



Max. conductor
temp. in service
90 °C

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 1 / 15

 Nexans

Contact
Sales Contact
wholesale.uk@nexans.com

Contact
Sales Contact
wholesale.uk@nexans.com

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Cross section [mm ²]	Nom. outer diam. [mm]	Approx. weight [kg/km]	Max. DC Resist. Cond. 20°C [Ohm/km]	Perm. current rating open air [A]
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
6	4.8	65	3.08	54
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
10	5.8	110	1.83	75
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 4 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Cross section [mm²]	Nom. outer diam. [mm]	Approx. weight [kg/km]	Max. DC Resist. Cond. 20°C [Ohm/km]	Perm. current rating open air [A]
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
16	6.8	170	1.15	100
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.3	260	0.727	135
25	8.4	260	0.727	135
25	8.4	260	0.727	135
25	8.4	260	0.727	135
25	8.4	260	0.727	135
25	8.4	260	0.727	135
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.3	360	0.524	169
35	9.4	360	0.524	169
35	9.4	360	0.524	169
35	9.4	360	0.524	169
35	9.4	360	0.524	169
50	11.0	480	0.387	207
50	11.0	480	0.387	207

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 5 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Cross section [mm²]	Nom. outer diam. [mm]	Approx. weight [kg/km]	Max. DC Resist. Cond. 20°C [Ohm/km]	Perm. current rating open air [A]
50	11.0	480	0.387	207
50	11.0	480	0.387	207
50	11.0	480	0.387	207
50	12.0	480	0.387	207
50	12.0	480	0.387	207
50	12.0	480	0.387	207
50	12.0	480	0.387	207
50	12.0	480	0.387	207
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	650	0.268	268
70	13.0	660	0.268	268
70	13.0	660	0.268	268
95	15.0	900	0.193	328
95	15.0	900	0.193	328
95	15.0	900	0.193	328
95	15.0	900	0.193	328
95	15.0	900	0.193	328
95	16.0	950	0.193	328
95	16.0	950	0.193	328
95	16.0	950	0.193	328
95	16.0	950	0.193	328
95	16.0	950	0.193	328
120	16.0	1200	0.153	383
120	16.0	1200	0.153	383
120	16.0	1200	0.153	383
120	16.0	1200	0.153	383
120	16.0	1200	0.153	383
120	17.0	1200	0.153	383
150	18.0	1400	0.124	444
150	18.0	1400	0.124	444
150	18.0	1400	0.124	444
150	18.0	1400	0.124	444
150	18.0	1400	0.124	444
150	19.0	1400	0.124	444
150	19.0	1400	0.124	444
150	19.0	1400	0.124	444

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 6 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Cross section [mm²]	Nom. outer diam. [mm]	Approx. weight [kg/km]	Max. DC Resist. Cond. 20°C [Ohm/km]	Perm. current rating open air [A]
150	19.0	1400	0.124	444
150	19.0	1400	0.124	444
185	20.0	1800	0.099	510
185	20.0	1800	0.099	510
185	20.0	1800	0.099	510
185	20.0	1800	0.099	510
185	20.0	1800	0.099	510
185	20.0	1800	0.099	510
240	23.0	2250	0.075	607
240	23.0	2250	0.075	607
240	23.0	2250	0.075	607
240	23.0	2250	0.075	607
240	23.0	2250	0.075	607
240	24.0	2500	0.075	607
300	25.0	3000	0.06	703
300	25.0	3000	0.06	703
300	25.0	3000	0.06	703
300	25.0	3000	0.06	703
300	25.0	3000	0.06	703
400	28.0	3750	0.047	823
400	28.0	3750	0.047	823
500	32.0	4750	0.037	946
500	32.0	4750	0.037	946
630	36.0	6000	0.028	1088
630	36.0	6000	0.028	1088

PRODUCT LIST

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm²]
☎ 10570570	-	H07Z-R 1x4 mm2 BLACK 500M	Circular non compacted	4
☎ 10518980	TR	H07Z-R 1G50 mm2 GREEN/YELLOW	Circular compacted	50
☎ 10536043	TR	H07Z-R 1x50 mm2 BROWN	Circular compacted	50
☎ 10536044	TR	H07Z-R 1x50 mm2 BLUE	Circular compacted	50
☎ 10536045	TR	H07Z-R 1x50 mm2 BLACK	Circular compacted	50
☎ 10536046	TR	H07Z-R 1x50 mm2 GREY	Circular compacted	50
☎ 10518979	TR	H07Z-R 1G70 mm2 GREEN/YELLOW	Circular compacted	70
☎ 10536089	TR	H07Z-R 1x70 mm2 BROWN	Circular compacted	70
☎ 10536090	TR	H07Z-R 1x70 mm2 BLUE	Circular compacted	70
☎ 10536091	TR	H07Z-R 1x70 mm2 BLACK	Circular compacted	70

☎ = Make to order, 📦 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 7 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
☎ 10536092	TR	H07Z-R 1x70 mm ² GREY	Circular compacted	70
☎ 10518978	TR	H07Z-R 1G95 mm ² GREEN/YELLOW	Circular compacted	95
☎ 10536173	TR	H07Z-R 1x95 mm ² BROWN	Circular compacted	95
☎ 10536174	TR	H07Z-R 1x95 mm ² BLUE	Circular compacted	95
☎ 10536175	TR	H07Z-R 1x95 mm ² BLACK	Circular compacted	95
☎ 10536176	TR	H07Z-R 1x95 mm ² GREY	Circular compacted	95
☎ 10518977	TR	H07Z-R 1G120 mm ² GREEN/YELLOW	Circular compacted	120
☎ 10535891	TR	H07Z-R 1x120 mm ² BROWN	Circular compacted	120
☎ 10535892	TR	H07Z-R 1x120 mm ² BLUE	Circular compacted	120
☎ 10535893	TR	H07Z-R 1x120 mm ² BLACK	Circular compacted	120
☎ 10535894	TR	H07Z-R 1x120 mm ² GREY	Circular compacted	120
☎ 10518976	TR	H07Z-R 1G150 mm ² GREEN/YELLOW	Circular compacted	150
☎ 10535911	TR	H07Z-R 1x150 mm ² BROWN	Circular compacted	150
☎ 10535912	TR	H07Z-R 1x150 mm ² BLUE	Circular compacted	150
☎ 10535913	TR	H07Z-R 1x150 mm ² BLACK	Circular compacted	150
☎ 10535914	TR	H07Z-R 1x150 mm ² GREY	Circular compacted	150
☎ 10530910	TR	H07Z-R 1G185 mm ² GREEN/YELLOW	Circular compacted	185
☎ 10535934	TR	H07Z-R 1x185 mm ² BROWN	Circular compacted	185
☎ 10535935	TR	H07Z-R 1x185 mm ² BLUE	Circular compacted	185
☎ 10530775	TR	H07Z-R 1x185 mm ² BLACK	Circular compacted	185
☎ 10535936	TR	H07Z-R 1x185 mm ² GREY	Circular compacted	185
☎ 10518975	TR	H07Z-R 1G240 mm ² GREEN/YELLOW	Circular compacted	240
☎ 10535989	TR	H07Z-R 1x240 mm ² BROWN	Circular compacted	240
☎ 10535990	TR	H07Z-R 1x240 mm ² BLUE	Circular compacted	240
☎ 10526750	TR	H07Z-R 1x240 mm ² BLACK	Circular compacted	240
☎ 10535991	TR	H07Z-R 1x240 mm ² GREY	Circular compacted	240
☎ 10535873	TR	H07Z-R 1G300 mm ² GREEN/YELLOW	Circular compacted	300
☎ 10536006	TR	H07Z-R 1x300 mm ² BROWN	Circular compacted	300
☎ 10536007	TR	H07Z-R 1x300 mm ² BLUE	Circular compacted	300
☎ 10536008	TR	H07Z-R 1x300 mm ² BLACK	Circular compacted	300
☎ 10536009	TR	H07Z-R 1x300 mm ² GREY	Circular compacted	300
☎ 10526702	TR	H07Z-R 1G1.5 mm ² GREEN/YELLOW	Circular non compacted	1.5
☎ 10520592	TR	H07Z-R 1x1.5 mm ² BROWN	Circular non compacted	1.5
☎ 10520591	TR	H07Z-R 1x1.5 mm ² BLUE	Circular non compacted	1.5
☎ 10535877	TR	H07Z-R 1x1.5 mm ² BLACK	Circular non compacted	1.5
☎ 10535878	TR	H07Z-R 1x1.5 mm ² GREY	Circular non compacted	1.5
☎ 10535874	TR	H07Z-R 1G400 mm ² GREEN/YELLOW	Circular compacted	400

☎ = Make to order, 📦 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 8 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
☎ 10536029	TR	H07Z-R 1x400 mm2 BLACK	Circular compacted	400
☎ 10535875	TR	H07Z-R 1G500 mm2 GREEN/YELLOW	Circular compacted	500
☎ 10536052	TR	H07Z-R 1x500 mm2 BLACK	Circular compacted	500
☎ 10535876	TR	H07Z-R 1G630 mm2 GREEN/YELLOW	Circular compacted	630
☎ 10520927	TR	H07Z-R 1G2.5 mm2 GREEN/YELLOW	Circular non compacted	2.5
☎ 10520926	TR	H07Z-R 1x2.5 mm2 BROWN	Circular non compacted	2.5
☎ 10520925	TR	H07Z-R 1x2.5 mm2 BLUE	Circular non compacted	2.5
☎ 10535982	TR	H07Z-R 1x2.5 mm2 BLACK	Circular non compacted	2.5
☎ 10535983	TR	H07Z-R 1x2.5 mm2 GREY	Circular non compacted	2.5
☎ 10536075	TR	H07Z-R 1x630 mm2 BLACK	Circular compacted	630
🏠 10526180	TR	H07Z-R 1x1.5 mm2 HONG KONG BLUE 500M	Circular non compacted	1.5
🏠 10526181	TR	H07Z-R 1x1.5 mm2 HONG KONG BROWN 500M	Circular non compacted	1.5
🏠 10521042	TR	H07Z-R 1x1.5 mm2 HONG KONG BLACK 500M	Circular non compacted	1.5
🏠 10521043	TR	H07Z-R 1x1.5 mm2 HONG KONG GREY 500M	Circular non compacted	1.5
🏠 10539984	TR	H07Z-R 1x1.5 mm2 HONG KONG BROWN 500M	Circular non compacted	1.5
🏠 10539985	TR	H07Z-R 1x1.5 mm2 HONG KONG BLUE 500M	Circular non compacted	1.5
🏠 10542775	TR	H07Z-R 1x1.5 mm2 HONG KONG WHITE 500M	Circular non compacted	1.5
🏠 10542776	TR	H07Z-R 1x1.5 mm2 HONG KONG ORANGE 500M	Circular non compacted	1.5
🏠 10531307	TR	H07Z-R 1G1.5 mm2 HONG KONG GREEN/YELLOW 500M	Circular non compacted	1.5
🏠 10539986	TR	H07Z-R 1G1.5 mm2 HONG KONG GREEN/YELLOW 500M	Circular non compacted	1.5
🏠 10540310	TR	H07Z-R 1x2.5 mm2 RED	Circular non compacted	2.5
🏠 10521044	TR	H07Z-R 1x2.5 mm2 HONG KONG BROWN 500M	Circular non compacted	2.5
🏠 10521045	TR	H07Z-R 1x2.5 mm2 HONG KONG BLUE 500M	Circular non compacted	2.5
🏠 10526182	TR	H07Z-R 1x2.5 mm2 BLUE 500M	Circular non compacted	2.5
🏠 10526183	TR	H07Z-R 1x2.5 mm2 BROWN 500M	Circular non compacted	2.5

☎ = Make to order, 🏠 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 9 / 15

 Nexans

ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
 10521046	TR	H07Z-R 1G2.5 mm2 HONG KONG GREEN/YELLOW 500M	Circular non compacted	2.5
 10526184	TR	H07Z-R 1G2.5 mm2 GREEN/YELLOW 500M	Circular non compacted	2.5
 10539987	TR	H07Z-R 1x4 mm2 HONG KONG BROWN 500M	Circular non compacted	4
 10539988	TR	H07Z-R 1x4 mm2 HONG KONG BLACK 500M	Circular non compacted	4
 10539989	TR	H07Z-R 1x4 mm2 HONG KONG GREY 500M	Circular non compacted	4
 10539995	TR	H07Z-R 1x4 mm2 HONG KONG BLUE 500M	Circular non compacted	4
 10539965	TR	H07Z-R 1G4 mm2 HONG KONG GREEN/YELLOW 500M	Circular non compacted	4
 10526185	TR	H07Z-R 1x4 mm2 BLUE 500M	Circular non compacted	4
 10526186	TR	H07Z-R 1x4 mm2 BROWN 500M	Circular non compacted	4
 10526187	TR	H07Z-R 1G4 mm2 GREEN/YELLOW 500M	Circular non compacted	4
 10540000	TR	H07Z-R 1x6 mm2 HONG KONG BROWN 500M	Circular non compacted	6
 10540001	TR	H07Z-R 1x6 mm2 HONG KONG BLUE 500M	Circular non compacted	6
 10540002	TR	H07Z-R 1G6 mm2 HONG KONG GREEN/YELLOW 500M	Circular non compacted	6
 10530916	TR	H07Z-R 1x10 mm2 HONG KONG BROWN 500M	Circular compacted	10
 10530917	TR	H07Z-R 1x10 mm2 HONG KONG BLUE 500M	Circular compacted	10
 10538260	TR	H07Z-R 1x10 mm2 HONG KONG BLACK 500M	Circular compacted	10
 10538261	TR	H07Z-R 1x10 mm2 HONG KONG GREY 500M	Circular compacted	10
 10530918	TR	H07Z-R 1G10 mm2 HONG KONG GREEN/YELLOW 500M	Circular compacted	10
 10518985	TR	H07Z-R 1G4 mm2 GREEN/YELLOW	Circular non compacted	4
 10518986	TR	H07Z-R 1x4 mm2 BROWN	Circular non compacted	4
 10519037	TR	H07Z-R 1x4 mm2 BLUE	Circular non compacted	4
 10536026	TR	H07Z-R 1x4 mm2 BLACK	Circular non compacted	4
 10536027	TR	H07Z-R 1x4 mm2 GREY	Circular non compacted	4

 = Make to order,  = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 10 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
 10540003	TR	H07Z-R 1x16 mm ² HONG KONG BROWN 500M	Circular compacted	16
 10540004	TR	H07Z-R 1x16 mm ² HONG KONG BLACK 500M	Circular compacted	16
 10540005	TR	H07Z-R 1x16 mm ² HONG KONG GREY 500M	Circular compacted	16
 10540006	TR	H07Z-R 1x16 mm ² HONG KONG BLUE 500M	Circular compacted	16
 10521047	TR	H07Z-R 1G16 mm ² HONG KONG GREEN/YELLOW 500M	Circular compacted	16
 10540007	TR	H07Z-R 1x25 mm ² HONG KONG BROWN	Circular compacted	25
 10540008	TR	H07Z-R 1x25 mm ² HONG KONG BLACK	Circular compacted	25
 10540009	TR	H07Z-R 1x25 mm ² HONG KONG GREY	Circular compacted	25
 10540010	TR	H07Z-R 1x25 mm ² HONG KONG BLUE	Circular compacted	25
 10538262	TR	H07Z-R 1G25 mm ² HONG KONG GREEN/YELLOW	Circular compacted	25
 10531834	TR	H07Z-R 1x35 mm ² HONG KONG BROWN	Circular compacted	35
 10531835	TR	H07Z-R 1x35 mm ² HONG KONG BLACK	Circular compacted	35
 10531836	TR	H07Z-R 1x35 mm ² HONG KONG GREY	Circular compacted	35
 10531837	TR	H07Z-R 1x35 mm ² HONG KONG BLUE	Circular compacted	35
 10538263	TR	H07Z-R 1G35 mm ² HONG KONG GREEN/YELLOW	Circular compacted	35
 10540011	TR	H07Z-R 1x50 mm ² HONG KONG BROWN	Circular non compacted	50
 10540012	TR	H07Z-R 1x50 mm ² HONG KONG BLACK	Circular non compacted	50
 10540013	TR	H07Z-R 1x50 mm ² HONG KONG GREY	Circular non compacted	50
 10540014	TR	H07Z-R 1x50 mm ² HONG KONG BLUE	Circular non compacted	50
 10540015	TR	H07Z-R 1G50 mm ² HONG KONG GREEN/YELLOW	Circular non compacted	50
 10540016	TR	H07Z-R 1x70 mm ² HONG KONG BLACK	Circular non compacted	70
 10540017	TR	H07Z-R 1x70 mm ² HONG KONG GREY	Circular non compacted	70
 10540018	TR	H07Z-R 1G70 mm ² HONG KONG GREEN/YELLOW	Circular non compacted	70
 10540019	TR	H07Z-R 1x95 mm ² HONG KONG BROWN	Circular compacted	95
 10540020	TR	H07Z-R 1x95 mm ² HONG KONG BLACK	Circular compacted	95
 10540021	TR	H07Z-R 1x95 mm ² HONG KONG GREY	Circular compacted	95
 10540022	TR	H07Z-R 1x95 mm ² HONG KONG BLUE	Circular compacted	95
 10540023	TR	H07Z-R 1G95 mm ² HONG KONG GREEN/YELLOW	Circular compacted	95

 = Make to order,  = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 11 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
 10538264	TR	H07Z-R 1G120 mm2 HONG KONG GREEN/YELLOW	Circular non compacted	120
 10539745	TR	H07Z-R 1x150 mm2 HONG KONG BLUE	Circular non compacted	150
 10539746	TR	H07Z-R 1x150 mm2 HONG KONG BLACK	Circular non compacted	150
 10539747	TR	H07Z-R 1x150 mm2 HONG KONG BROWN	Circular non compacted	150
 10539748	TR	H07Z-R 1x150 mm2 HONG KONG GREY	Circular non compacted	150
 10539783	TR	H07Z-R 1G150 mm2 HONG KONG GREEN/YELLOW	Circular non compacted	150
 10540024	TR	H07Z-R 1G185 mm2 HONG KONG GREEN/YELLOW	Circular compacted	185
 10540025	TR	H07Z-R 1G240 mm2 HONG KONG GREEN/YELLOW	Circular non compacted	240
 10542890	TR	H07Z-R 1x2.5 mm2 HONG KONG BLACK 500M	Circular non compacted	2.5
 10542891	TR	H07Z-R 1x2.5 mm2 HONG KONG GREY 500M	Circular non compacted	2.5
 10542892	TR	H07Z-R 1x6 mm2 HONG KONG BLACK 500M	Circular non compacted	6
 10542893	TR	H07Z-R 1x6 mm2 HONG KONG GREY 500M	Circular non compacted	6
 10544133	TR	H07Z-R 1x1.5 mm2 100M BLUE	Circular non compacted	1.5
 10529762	TR	H07Z-R 1G6 mm2 GREEN/YELLOW	Circular non compacted	6
 10532807	TR	H07Z-R 1x6 mm2 BROWN	Circular non compacted	6
 10536071	TR	H07Z-R 1x6 mm2 BLUE	Circular non compacted	6
 10536072	TR	H07Z-R 1x6 mm2 BLACK	Circular non compacted	6
 10536073	TR	H07Z-R 1x6 mm2 GREY	Circular non compacted	6
 10544134	TR	H07Z-R 1x1.5 mm2 100M BROWN	Circular non compacted	1.5
 10544073	TR	H07Z-R 1G4 mm2 YELLOW/GREEN U	Circular non compacted	4
 10544074	TR	H07Z-R 1G10 mm2 YELLOW/GREEN U	Circular compacted	10
 10544075	TR	H07Z-R 1G16 mm2 YELLOW/GREEN U	Circular compacted	16
 10544076	TR	H07Z-R 1G25 mm2 YELLOW/GREEN U	Circular compacted	25
 10544077	TR	H07Z-R 1G35 mm2 YELLOW/GREEN U	Circular compacted	35
 10544078	TR	H07Z-R 1G6 mm2 YELLOW/GREEN U	Circular non compacted	6

 = Make to order,  = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 12 / 15



ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
☎ 10544119	TR	H07Z-R 1x4 mm2 BROWN U	Circular non compacted	4
☎ 10544120	TR	H07Z-R 1x10 mm2 BROWN U	Circular compacted	10
☎ 10544121	TR	H07Z-R 1x16 mm2 BROWN U	Circular compacted	16
☎ 10544122	TR	H07Z-R 1x25 mm2 BROWN U	Circular compacted	25
☎ 10544123	TR	H07Z-R 1x35 mm2 BROWN U	Circular compacted	35
☎ 10544124	TR	H07Z-R 1x6 mm2 BROWN U	Circular non compacted	6
☎ 10544125	TR	H07Z-R 1x4 mm2 BLUE U	Circular non compacted	4
☎ 10544126	TR	H07Z-R 1x10 mm2 BLUE U	Circular compacted	10
☎ 10544127	TR	H07Z-R 1x16 mm2 BLUE U	Circular compacted	16
☎ 10544128	TR	H07Z-R 1x25 mm2 BLUE U	Circular compacted	25
☎ 10544129	TR	H07Z-R 1x35 mm2 BLUE U	Circular compacted	35
☎ 10544130	TR	H07Z-R 1x6 mm2 BLUE U	Circular non compacted	6
☎ 10544315	TR	H07Z-R 1x6 mm2 BLACK U	Circular non compacted	6
☎ 10544316	TR	H07Z-R 1x6 mm2 GREY U	Circular non compacted	6
☎ 10544317	TR	H07Z-R 1x25 mm2 BLACK U	Circular compacted	25
☎ 10544318	TR	H07Z-R 1x25 mm2 GREY U	Circular compacted	25
☎ 10544319	TR	H07Z-R 1x35 mm2 BLACK U	Circular compacted	35
☎ 10544320	TR	H07Z-R 1x35 mm2 GREY U	Circular compacted	35
☎ 10544245	TR	H07Z-R 1G10 mm2 HONG KONG GREEN/YELLOW	Circular compacted	10
☎ 10544246	TR	H07Z-R 1G16 mm2 HONG KONG GREEN/YELLOW	Circular compacted	16
🏠 10556841	TR	H07Z-R 1x1.5 mm2 RED	Circular non compacted	1.5
🏠 10562419	TR	H07Z-R 1x70 mm2 HONG KONG BLUE	Circular non compacted	70
☎ 10549108	TR	H07Z-R 1x70 mm2 HONG KONG BROWN	Circular non compacted	70
🏠 10567701	TR	H07Z-R 1x1.5 mm2 100M BLACK	Circular non compacted	1.5
🏠 10567702	TR	H07Z-R 1x1.5 mm2 100M GREY	Circular non compacted	1.5
🏠 10567703	TR	H07Z-R 1G1.5 mm2 100M GREEN/YELLOW	Circular non compacted	1.5
🏠 10567704	TR	H07Z-R 1x2.5 mm2 100M BROWN	Circular non compacted	2.5
🏠 10567705	TR	H07Z-R 1x2.5 mm2 100M BLACK	Circular non compacted	2.5

☎ = Make to order, 🏠 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 13 / 15

 Nexans

ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
🔌 10567706	TR	H07Z-R 1x2.5 mm ² 100M GREY	Circular non compacted	2.5
📞 10518984	TR	H07Z-R 1G10 mm ² GREEN/YELLOW	Circular compacted	10
📞 10535880	TR	H07Z-R 1x10 mm ² BROWN	Circular compacted	10
📞 10535881	TR	H07Z-R 1x10 mm ² BLUE	Circular compacted	10
📞 10526749	TR	H07Z-R 1x10 mm ² BLACK	Circular compacted	10
📞 10535882	TR	H07Z-R 1x10 mm ² GREY	Circular compacted	10
🔌 10567707	TR	H07Z-R 1x2.5 mm ² 100M BLUE	Circular non compacted	2.5
🔌 10567708	TR	H07Z-R 1G2.5 mm ² 100M GREEN/YELLOW	Circular non compacted	2.5
🔌 10567709	TR	H07Z-R 1x4 mm ² 100M BROWN	Circular non compacted	4
🔌 10567710	TR	H07Z-R 1x4 mm ² 100M BLUE	Circular non compacted	4
🔌 10567711	TR	H07Z-R 1G4 mm ² 100M GREEN/YELLOW	Circular non compacted	4
🔌 10567712	TR	H07Z-R 1G10 mm ² 100M GREEN/YELLOW	Circular compacted	10
📞 10518983	TR	H07Z-R 1G16 mm ² GREEN/YELLOW	Circular compacted	16
📞 10535925	TR	H07Z-R 1x16 mm ² BROWN	Circular compacted	16
📞 10535926	TR	H07Z-R 1x16 mm ² BLUE	Circular compacted	16
📞 10535927	TR	H07Z-R 1x16 mm ² BLACK	Circular compacted	16
📞 10535928	TR	H07Z-R 1x16 mm ² GREY	Circular compacted	16
📞 10518982	TR	H07Z-R 1G25 mm ² GREEN/YELLOW	Circular compacted	25
📞 10519407	TR	H07Z-R 1x25 mm ² BROWN	Circular compacted	25
📞 10519408	TR	H07Z-R 1x25 mm ² BLUE	Circular compacted	25
📞 10535999	TR	H07Z-R 1x25 mm ² BLACK	Circular compacted	25
📞 10536000	TR	H07Z-R 1x25 mm ² GREY	Circular compacted	25
📞 10518981	TR	H07Z-R 1G35 mm ² GREEN/YELLOW	Circular compacted	35
📞 10536021	TR	H07Z-R 1x35 mm ² BROWN	Circular compacted	35
📞 10536022	TR	H07Z-R 1x35 mm ² BLUE	Circular compacted	35
📞 10536023	TR	H07Z-R 1x35 mm ² BLACK	Circular compacted	35
📞 10536024	TR	H07Z-R 1x35 mm ² GREY	Circular compacted	35
📞 10570549	-	H07Z-R 1x2.5 mm ² GREY 500M	Circular non compacted	2.5
📞 10570571	-	H07Z-R 1x4 mm ² GREY 500M	Circular non compacted	4
📞 10570548	-	H07Z-R 1x2.5 mm ² BLACK 500M	Circular non compacted	2.5
📞 10571636	-	H07Z-R 1x10 mm ² BROWN	Circular compacted	10
📞 10571637	-	H07Z-R 1x10 mm ² BLACK	Circular compacted	10
📞 10571638	-	H07Z-R 1x10 mm ² GREY	Circular compacted	10
📞 10571639	-	H07Z-R 1x10 mm ² BLUE	Circular compacted	10

📞 = Make to order, 🔌 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 08/12/2023 www.nexans.co.uk Page 14 / 15

 Nexans

ALSECURE H07Z-R (6491B) BS EN 50525-3-41

Contact
Sales Contact
wholesale.uk@nexans.com

Nexans Ref.	Country Ref.	Name	Conductor shape	Conductor cross-section [mm ²]
☎ 10571660	-	H07Z-R 1x16 mm2 BROWN	Circular compacted	16
☎ 10571661	-	H07Z-R 1x16 mm2 BLACK	Circular compacted	16
☎ 10571662	-	H07Z-R 1x16 mm2 GREY	Circular compacted	16
☎ 10571663	-	H07Z-R 1x16 mm2 BLUE	Circular compacted	16
☎ 10571564	-	H07Z-R 1x1.5 mm2 RED 500M	Circular non compacted	1.5

☎ = Make to order, 📦 = In stock,