

# REXEL CABLE SOLUTIONS





MPN: 6943LSH-6.0

Product Name: 6943LSH-6.0 6.0mm<sup>2</sup> Black LSZH/SWA/Basec Cable 3-Core 1m

**Brand:** Commodity Cables

Category: Steel Wire Armoured (SWA)

**Product Description:** This product is cut to specification. Hence when ordering, a multiple of 1 needs to be entered. 6943LSOH6.0 is an Armoured Cable made up of a class 2 plain stranded copper conductor complete with XLPE insulation and PVC sheathing, suitable for industrial wiring and mains distribution where smoke and toxic emission would pose a major hazard.

# **Key Features:**

Cable Size: 6.0mm<sup>2</sup>

No. of cores: 3

- CPR Compliant
- BASEC-Approved
- Material: LSZH

# **Specifications:**

- Designation voltage U0/U (kV) 0,6/1
- Diameter of conductor (mm): 3.1
- Maximum D.C. resistance at 20 °C (ohm/km) 3.08
- Short-circuit temperature (°C) 250

#### **ETIM Class-9.0:** Power cable >= 1 kV, for fixed installations (EC003251)

# **ETIM Features:**

- Conductor material: Copper (EV000138)
- o Conductor surface: Bare (EV000899)
- Nominal cross-sectional area of conductor (mm²):6
- Conductor category: Class 2 = stranded (EV004200)
- Shape of conductor: Round (EV000167)
- Number of cores:3
- o Core insulation material: Polyolefin (EV001108)
- Specification core insulation: Other (EV000154)
- o Core identification: Colour (EV000207)
- o Screen: No
- o Lead sheath: No
- Concentric conductor: None (EV000494)
- Sheath material: Polyolefin (EV001108)
- Sheath material specification: Other (EV000154)
- Sheath colour: Black (EV000206)
- o Halogen free according to IEC 60754-2: No
- Outer diameter approx. (mm):15.1
- Max. conductor temperature (°C):90
- Permitted cable outer temperature during assembling/handling (°C):0 80
- Nominal voltage U0 (kV):600
- Nominal voltage U (kV):1000

#### **Applications:**

- Power distribution in buildings, industrial plants, and infrastructure projects
- Underground installations in ducts, tunnels, and direct burial applications
- Industrial automation systems for control and instrumentation circuits
- Renewable energy projects such as solar farms and wind power installations
- Marine and offshore applications including shipbuilding and offshore platforms
- Transportation infrastructure projects like railway networks, subway systems, and airports

### **Standards**:

BS 6724

