

MG-ETF-HF

TIE-ON CABLE TAGS, PRE-CUT, POLYCARBONATE, WITHOUT HOLDER, HALOGEN FREE



Features

TECHNICAL INFORMATION

Minimum operating temperature	-40 °C
Maximum operating temperature	130 °C
Self-extinguishing fire class according to UL 94	V0

MATERIAL COMPOSITION AND TREATMENTS

Silicone-free	Yes
Halogen free	Yes

LOGISTIC

Storage temperature	10 ÷ 25 °C
Relative humidity of storage	45 ÷ 55
Customs code	39206100

CLASSIFICATION AND DATA ORDERING

ETIM Class 7	Labelling material [EC001288]
--------------	-------------------------------

COMPATIBILITY

Ribbon	MG2-EPTR PREMIUM
Printable with	MG3; MG4
Plates	MG2-PLT

MG-ETF-HF

tipo	Colour	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code
54191N-HF	White	15	3	5	Polycarbonate PC10050WH	20	27.5	20	27.5	0,616	582
54291-HF	White	15	3	5	Polycarbonate PC10050WH	20	26	20	26	0,585	583
54141N-HF	Yellow	15	3	5	Polycarbonate PC10050YE	20	27.5	20	27.5	0,613	582
54241-HF	Yellow	15	3	5	Polycarbonate PC10050YE	20	26	20	26	0,585	583
54137-HF	Orange	6	2	3	Polycarbonate	28	57	28	57	1,707	590
54167-HF	Blue	6	2	3	Polycarbonate	28	57	28	57	1,673	590
54127-HF	Rosso	6	2	3	Polycarbonate	28	57	28	57	1,580	590
54172-HF	Brown	14	2	7	Polycarbonate	13	57	13	57	0,631	581
54142-HF	Yellow	14	2	7	Polycarbonate PC10050YE	13	57	13	57	0,651	581
54122-HF	Rosso	14	2	7	Polycarbonate	13	57	13	57	0,671	581
54102-HF	Black	14	2	7	Polycarbonate	13	57	13	57	0,643	581
54182-HF	Metallic grey	14	2	7	Polycarbonate	13	57	13	57	0,651	581
54162-HF	Blue	14	2	7	Polycarbonate	13	57	13	57	0,651	581
54152-HF	Green	14	2	7	Polycarbonate	13	57	13	57	0,658	581
54243-HF	Yellow	5	1	5	Polycarbonate PC10050YE	15	95	15	95	1,944	584
54293-HF	White	5	1	5	Polycarbonate PC10050WH	15	95	15	95	1,920	584
54132-HF	Orange	14	2	7	Polycarbonate	13	57	13	57	0,621	581
54192-HF	White	14	2	7	Polycarbonate PC10050WH	13	57	13	57	0,655	581
54197-HF	White	6	2	3	Polycarbonate PC10050WH	28	57	28	57	1,660	590
54147-HF	Yellow	6	2	3	Polycarbonate PC10050YE	28	57	28	57	1,627	590

