

MG-VRT-A

ADHESIVE PANEL PLATES, PRE-CUT, RIGID PVC



CERTIFICATIONS & APPROVALS

 UL (cURus)

Features

TECHNICAL INFORMATION

Minimum operating temperature	-30 °C
Maximum operating temperature	60 °C
Minimum application temperature	10 °C
Maximum application temperature	40 °C
Type of adhesive	Acrylic double sided tape
Type of application surface	flat smooth
Self-extinguishing fire class according to UL 94	V0

LOGISTIC

Storage temperature	10 ÷ 25 °C
Relative humidity of storage	45 ÷ 55
Customs code	39199080

COMPATIBILITY

Ribbon	MG2-ETR
Printable with	MG3; MG4
Plates	MG2-PLT

MATERIAL COMPOSITION AND TREATMENTS

Silicone-free	Yes
Halogen free	No

CLASSIFICATION AND DATA ORDERING

ETIM Class 7	Labelling material [EC001288]
--------------	-------------------------------

tipo	Colour	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code
88655	Blue	7	1	7	Rigid PVC	102	15	102	15	2,731	829
88628	Blue	1	1	1	Rigid PVC	138	102	138	102	18,416	207
88613	Blue	1	1	1	Rigid PVC	92	118	92	118	19,120	813
88603	Blue	2	1	2	Rigid PVC	107	52	107	52	9,080	204
88616	Blue	8	2	4	Rigid PVC	50	25	50	25	2,035	853
88617	Blue	3	1	3	Rigid PVC	100	35	100	35	6,320	810
88605	Blue	4	1	4	Rigid PVC	100	25	100	25	4,000	205
88900N	White	6	2	3	Rigid PVC10050WH	58	32	58	32	3,038	200
88608	Blue	4	1	4	Rigid PVC	80	25	80	25	4,710	861
88973	White	5	5	1	Rigid PVC10050WH	127	20	127	20	4,000	826
88945	White	3	1	3	Rigid PVC10050WH	34	74	34	74	6,133	825
88601	Blue	2	1	2	Rigid PVC	78	42	78	42	8,204	202
88901	White	2	1	2	Rigid PVC10050WH	78	42	78	42	8,406	202
88902	White	1	1	1	Rigid PVC10050WH	88	62	88	62	18,400	203
88971	White	2	2	1	Rigid PVC10050WH	82.5	57	82.5	57	8,198	841
88903	White	2	1	2	Rigid PVC10050WH	107	52	107	52	8,360	204
88962	White	2	2	1	Rigid PVC10050WH	100	60	100	60	9,012	821
88963	White	1	1	1	Rigid PVC10050WH	122	65	122	65	20,240	845
88964	White	1	1	1	Rigid PVC10050WH	140	90	140	90	20,160	846
88235	Rosso	2	1	2	Rigid PVC	138	40	138	40	7,987	822
88228	Rosso	1	1	1	Rigid PVC	138	102	138	102	19,440	207
88946	White	4	1	4	Rigid PVC10050WH	140	25	140	25	4,820	824
88935	White	2	1	2	Rigid PVC10050WH	138	40	138	40	9,920	822
88928	White	1	1	1	Rigid PVC10050WH	138	102	138	102	18,772	207
88904	White	1	1	1	Rigid PVC10050WH	104	109	104	109	18,288	812
88005	Black RAL 9005	4	1	4	Rigid PVC	100	25	100	25	4,660	205

tipo	Colour	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code
88918	White	4	2	2	Rigid PVC10050WH	50	50	50	50	4,640	858
88905	White	4	1	4	Rigid PVC10050WH	24	99	24	99	4,600	205
88917	White	3	1	3	Rigid PVC10050WH	34	99	34	99	5,893	810
88908	White	4	1	4	Rigid PVC10050WH	27	79	27	79	4,360	861
88913	White	1	1	1	Rigid PVC10050WH	92	118	92	118	18,640	813
88916	White	8	2	4	Rigid PVC10050WH	24	49	24	49	2,030	853
88400N	Yellow	6	2	3	Rigid PVC10050YE	58	32	58	32	3,053	200
88446	Yellow	4	1	4	Rigid PVC10050YE	140	25	140	25	5,080	824
88401	Yellow	2	1	2	Rigid PVC10050YE	41	77	41	77	8,960	202
88402	Yellow	1	1	1	Rigid PVC10050YE	88	62	88	62	18,080	203
88116	Black RAL 9005	8	2	4	Rigid PVC	50	25	50	25	2,280	853
88403	Yellow	2	1	2	Rigid PVC10050YE	107	52	107	52	8,960	204
88101	Black RAL 9005	2	1	2	Rigid PVC	78	42	78	42	8,218	202
88000N	Black RAL 9005	6	2	3	Rigid PVC	58	32	58	32	2,992	200
88103	Black RAL 9005	2	1	2	Rigid PVC	107	52	107	52	8,270	204
88128	Black RAL 9005	1	1	1	Rigid PVC	138	102	138	102	17,420	207
88113	Black RAL 9005	1	1	1	Rigid PVC	92	118	92	118	16,800	813
88118	Black RAL 9005	4	2	2	Rigid PVC	50	50	50	50	4,580	858
88108	Black RAL 9005	4	1	4	Rigid PVC	80	25	80	25	4,620	861
88135	Black RAL 9005	2	1	2	Rigid PVC	138	40	138	40	9,132	822
88404	Yellow	1	1	1	Rigid PVC10050YE	110	105	110	105	18,400	812
88428	Yellow	1	1	1	Rigid PVC10050YE	138	102	138	102	17,600	207
88445	Yellow	3	1	3	Rigid PVC10050YE	75	35	75	35	5,600	825
88408	Yellow	4	1	4	Rigid PVC10050YE	80	25	80	25	4,130	861
88405	Yellow	4	1	4	Rigid PVC10050YE	100	25	100	25	4,300	205

tipo	Colour	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code
88413	Yellow	1	1	1	Rigid PVC10050YE	92	118	92	118	17,200	813
88416	Yellow	8	2	4	Rigid PVC10050YE	50	25	50	25	2,320	853
88417	Yellow	3	1	3	Rigid PVC10050YE	100	35	100	35	6,000	810
88418	Yellow	4	2	2	Rigid PVC10050YE	50	50	50	50	4,587	858
88007	Black RAL 9005	3	1	3	Rigid PVC	100	35	100	35	5,491	810
88762GY	Grey	2	2	1	Rigid PVC	100	60	100	60	10,030	821
88735GY	Grey	2	1	2	Rigid PVC	138	40	138	40	10,188	822
88717GY	Grey	3	1	3	Rigid PVC	100	35	100	35	5,547	810
88728GY	Grey	1	1	1	Rigid PVC	138	102	138	102	19,920	207
88716GY	Grey	8	2	4	Rigid PVC	50	25	50	25	2,270	853
88701GY	Grey	2	1	2	Rigid PVC	78	42	78	42	8,840	202
88702GY	Grey	1	1	1	Rigid PVC	88	62	88	62	18,320	203
88703GY	Grey	2	1	2	Rigid PVC	32	58	107	52	9,200	204
88713GY	Grey	1	1	1	Rigid PVC	92	118	92	118	16,108	813
88704GY	Grey	1	1	1	Rigid PVC	110	105	110	105	19,840	812
88700NGY	Grey	6	2	3	Rigid PVC	58	32	58	32	3,447	200
88708GY	Grey	4	1	4	Rigid PVC	80	25	80	25	4,620	861
88771GY	Grey	2	2	1	Rigid PVC	82.5	57	82.5	57	9,080	841
88200N	Rosso	6	2	3	Rigid PVC	58	32	58	32	3,387	200
88216	Rosso	8	2	4	Rigid PVC	50	25	50	25	2,270	853
88217	Rosso	3	1	3	Rigid PVC	100	35	100	35	6,107	810
88203	Rosso	2	1	2	Rigid PVC	107	52	107	52	8,360	204
88205	Rosso	4	1	4	Rigid PVC	100	25	100	25	4,760	205
88208	Rosso	4	1	4	Rigid PVC	80	25	80	25	4,200	861
88213	Rosso	1	1	1	Rigid PVC	92	118	92	118	18,080	813
88204	Rosso	1	1	1	Rigid PVC	110	105	110	105	20,000	812
88201	Rosso	2	1	2	Rigid PVC	78	42	78	42	9,280	202
88516	Green	8	2	4	Rigid PVC	50	25	50	25	2,290	853
88517	Green	3	1	3	Rigid PVC	100	35	100	35	6,053	810
88745GY	Grey	3	1	3	Rigid PVC	75	35	75	35	5,535	825

tipo	Colour	Sheet elements	Number of lines	Number of columns	Material	Width [mm]	L [mm]	Base of the printable area [mm]	Height of the printable area [mm]	Gross weight [g]	Software code
88600N	Blue	6	2	3	Rigid PVC	58	32	58	32	3,393	200



Via Serenissima, 9 - 25135
Brescia - ITALY