



MPN: NLPRMT63508

Product Name: 6.35 X 0.8mm Red 0.25-1.5mm² Partially Insulated Push-On Male Terminal

Brand: Newlec

Category: Crimp Terminals

Product Description: The 6.35 X 0.8mm Red 0.25-1.5mm² Partially Insulated Push-On Male Terminal is a high-quality crimp terminal manufactured by Newlec. It is designed for use in electrical applications where a reliable and secure connection is required. This terminal is specifically designed for use with copper conductors and features a partially insulated design for added safety. The terminal is made from brass strip with a purity greater than 99.9% and is electrolytically tin-plated to prevent oxidation. The insulation sleeve is made from polycarbonate, providing excellent durability and resistance to a wide temperature range of -20°C to +115°C. The terminal is halogen-free, making it suitable for use in environmentally sensitive applications. With its facilitated introduction of the conductor, this terminal ensures easy and efficient installation.

Key Features:

- Insulation sleeve in Polycarbonate.
- Temperature Range: -20°C to +115°C.
- Manufactured from Brass Strip with a purity greater than 99.9%.
- Electrolytically tin-plated to avoid oxidation.
- Halogen Free.
- Facilitated Introduction of the conductor.

Specifications:

- According to DIN: No
- Insulation: Polyvinyl chloride (PVC)
- Colour insulation: Red
- Nominal cross section (mm²): 0.25 0.25
- Sleeve form: Short

ETIM Class-9.0: Solderless copper terminals for copper conductors (EC001052).

ETIM Features:

- o According to DIN: No
- o Insulation: Polyvinyl chloride (PVC) (EV000163)
- o Colour insulation: Red (EV000233)
- o Nominal cross section (mm²): 0.25 0.25
- Sleeve form: Short (EV009889)
- o Suitable for solid cores: No
- o Suitable for fine strand conductors: Yes
- Suitable for round conductors: Yes
- Material: Copper (EV000138)

Applications:

- Electrical wiring systems.
- Industrial equipment.
- Automotive applications.
- HVAC systems.
- And more.

