



MPN: 6943LSH-2.5

Product Name: 2.5mm² Black XLPE/SWA/Basec Cable 3-Core

Brand: Newlec

Category: Steel Wire Armoured (SWA)

Product Description: This product is packaged as a 25m Coil. Hence when ordering, a multiple of 25 needs to be entered. Steel Wire Armoured cable with a Low Smoke Halogen sheathing. It can be used for internal, external, or underground works. The quick and easy way to purchase.

Key Features:

• Cable Size: 2.5mm.

• Colour: Black.

• Length in metres: 25.

• No. of cores: 3.

• Product Packaging: Coil.

• Low Smoke Zero Halogen.

• Standard: BS6724.

Specifications:

• Conductor material: Copper

• Conductor surface: Bare

• Nominal cross-sectional area of conductor (mm²): 2.5

• Conductor category: Class 2 = stranded

• Shape of conductor: Round

• Number of cores: 3

• Core insulation material: Polyolefin

ETIM Class-9.0: Power cable >= 1 kV, for fixed installations (EC003251)

ETIM Features:

- Conductor material: Copper (EV000138)
- o Conductor surface: Bare (EV000899)
- Nominal cross-sectional area of conductor (mm²): 2.5
- Conductor category: Class 2 = stranded (EV004200)
- Shape of conductor: Round (EV000167)
- Number of cores: 3
- Core insulation material: Polyolefin (EV001108)
- Specification core insulation: Other (EV000154)
- o Core identification: Colour (EV000207)
- Screen: No
- o Lead sheath: No
- Concentric conductor: None (EV000494)
- Sheath material: Polyolefin (EV001108)
- Sheath material specification: Other (EV000154)
- Sheath colour: Black (EV000206)
- o Halogen-free according to IEC 60754-2: No
- Outer diameter approx. (mm): 12.7
- Max. conductor temperature (°C): 90
- Permitted cable outer temperature during assembling/handling (°C): 0 80
- Nominal voltage U0 (kV): 60
- Nominal voltage U (kV): 1000.

Applications: This cable is suitable for various applications, including:

- Power distribution in buildings and industrial facilities.
- Wiring of electrical equipment and machinery.
- Underground installations.
- External lighting systems.
- Internal wiring in residential, commercial, and industrial buildings.

