



# MASTER Value GLASS LED candles and lustres



## MASTER VLE LEDCandleDT2.5-25W E14 B35CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lustres with the benefits of the long-lasting LED technology. The product offers more energy saving compared with normal LED candles and lustres, and also provides the customer with a good light experience and superior dimming performance. MASTER Value Glass Led candles and lustres deliver significant energy savings, offering 30% more compared to normal LEDs. They provide excellent quality of light. By offering a lifetime of 15,000 hours, they reduce maintenance costs.

### **Product data**

General Information	
Cap base	E14 [ E14]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
	Sphere
Light Technical	
Colour Code	922-927 [ CCT of 2,200 K-2,700 K]
Luminous flux (nom.)	340 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2200 2700 K
Luminous efficacy (rated) (nom.)	136.00 lm/W
Colour consistency	<6

Colour rendering index (nom.)	90	
LLMF at end of nominal lifetime (nom.) 70 %		
Operating and Electrical		
Input frequency	50 to 60 Hz	
Power (Rated) (Nom)	2.5 W	
Lamp current (nom.)	15 mA	
Wattage equivalent	25 W	
Starting time (nom.)	0.5 s	
Warm-up time to 60% light (nom.)	0.5 s	
Power factor (nom.)	0.6	
Voltage (Nom)	220-240 V	


Datasheet, 2021, November 12 data subject to change

## **MASTER Value GLASS LED candles and lustres**

Temperature	
T-Case maximum (nom.)	70 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Lamp Finish	Clear
Bulb shape	B35 [ B 35mm]
Approval and Application	
Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	3 kWh
	453262

Product Data	
Full product code	871951432505000
Order product name	MASTER VLE LEDCandleDT2.5-25W E14 B35CL
	G
EAN/UPC – product	8719514325050
Order code	32505000
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003011902
SAP net weight (piece)	0.014 kg


### Dimensional drawing




Candle B35 EU 2-25W 270lm WG E14 CL



### Photometric data




LEDcandle MAS SLR 2,5W B35 E14 927 CL-GUL



LEDcandle MAS SLR B35 2,5W E14 927 CL-LDD


## **MASTER Value GLASS LED candles and lustres**


#### Photometric data



LEDcandle MAS SLR 2,5W B35 E14 927 CL-POC

### Lifetime





15K LED 15K LMP



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.