



**MPN:** PV-ULTRA4C6.0

**Product Name:** 6.0mm 4 Core DC Double Insulated Solar Photovoltaic Cable

**Brand:** Commodity Cables

**Category:** Solar Cables

**Product Description:** This cable is designed to meet the requirements of the DC interconnections between the solar panels and the other components of the photovoltaic system, such as the isolators and invertors.

#### Key Features:

- Easier to handle
- Saves installation costs
- Saves installation time
- Easy polarity identification
- Easier to route along/through buildings or walls
- Reduces the risk of accidental damage
- Gives a cleaner, neater installation
- Safer as it removes the need for junction boxes
- Safer as it looks like a power cable
- Pre-marked 'LIVE DC' warning message to improve safety

---

## Specifications:

- Conductor: Tinned Annealed Copper Class 5 Flexible
- Insulation: Double insulated cross-linked and fulfilling the requirements of BS EN 50618 Annex B
- Minimum Operating Temperature: -15°C
- Maximum Operating Temperature: 90°C
- Core Colours: 4 Core – Red, White, Red, White
- Sheath Colours: Black
- Nominal Diameter of Bedding: 17.0mm
- Galvanised Steel Wire Armour: Not applicable
- Approximately Overall Diameter: 19.4mm
- Approximately Weight (kg/km): 715
- Current Rating (Clipped): 57A

---

**ETIM Class-9.0:** Power cable < 1 kV, for fixed installations (EC003248)

---

## Applications:

- Specifically designed to fulfil the demands of DC interconnections within the photovoltaic system, connecting solar panels with other components like isolators and inverters.

---

## Standards:

- BS7671
- EN 50618



Unlock exclusive deals and discover a world of innovative solutions by scanning our QR code and visiting Rexel's website today!