



# CorePro GLASS LED candles and lustres

## CorePro LEDCandleND4.3-40W E14 827B35CLG

Featuring a classic heritage design, these filament LED candles combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb is a very easy choice for people who are looking for a retrofit LED replacement, it provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

### Product data

General Information	
Cap base	E14
Nominal lifetime	15,000 h
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Colour Code	827 [CCT of 2700K]
Luminous Flux	470 lm
Luminous efficacy (rated) (nom.)	109.00 lm/W
Colour designation	Warm White (WW)
Correlated Colour Temperature	2700 K
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Flickering value (PstLM)	1
Stroboscopic effect	0.4
Photobiological safety according to EN 62471 RG1	
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	4.3 W
Lamp current (nom.)	40 mA
Wattage equivalent	40 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.41
Voltage (nom.)	220-240 V
Temperature	
T-Case maximum (nom.)	45 °C

# CorePro GLASS LED candles and lustres

## Controls and Dimming

Dimmable	No
----------	----

## Mechanical and Housing

Lamp Finish	Clear
Bulb shape	B35

## Approval and Application

Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	5 kWh
EPREL registration number	387402
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes


## Application Conditions

Can it be used in closed luminaires	No
-------------------------------------	----

## Product Data



Order product name	CorePro LEDCandleND4.3-40W E14 827B35CLG
Full product name	CorePro LEDCandleND4.3-40W E14 827B35CLG
Full EOC	871951434726700
Order code	34726700
Material no. (12 NC)	929001889792
Numerator – quantity per pack	1
Net Weight (Piece)	0.014 kg
EAN/UPC — Product/Case	8719514347267
Numerator – packs per outer box	10
EAN/UPC - Case	8719514347274

## Dimensional drawing



Product	D	C
CorePro LEDCandleND4.3-40W E14 827B35CLG	35 mm	97 mm

## Photometric data




Spectral Power Distribution Colour - CorePro LEDCandleND4.3-40W E14 827B35CLG

Light Distribution Diagram - CorePro LEDCandleND4.3-40W E14 827B35CLG



# CorePro GLASS LED candles and lustres

## Photometric data



## General uniform lighting - CorePro LEDCandleND4.3-40W E14 827B35CLG

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDCandleND4.3-40W E14  
827B35CLG

