

Weatherproof Accessories / Powerbreaker IP66 Range

IP66 7 Day Timer Spur and Switch



Technical Specification

Product Code	PSPT1G
Feature 1	Ideal control of outdoor lighting ponds and sprinkler systems
Feature 2	Energy Saving
Feature 3	Weatherproof to IP66 for long term use
Feature 4	4 On & 4 Off settings per day, 700 hours battery back up
Barcode	5012739644023
CE	Y
Colour	White Internal Unit - Grey & smoke Tinted Clear Lid Enclosure
Company DUNS Number	216156018

Tel No: 01279 772 772

Email: sales@greenbrook.co.uk

Website: www.greenbrook.co.uk

Country of Origin	China
Current (I)	13
Finish body	Gloss
Fixings supplied with product	Cable Screws
Frequency (Hz) max	60
Frequency (Hz) min	50
Greenbrook Guarantee (Years)	5
Ingress Protection (IP)	IP66
Installation method	Surface mount
Knock-out Dimensions	20
Knock-out Qty	4
Materials Main Body	High Impact polycarbonate
Min Order Qty	1
Operating Temperature Range max C	40
Operating Temperature Range min C	-5
Pack Contents	1
Package Product Max. Length (mm)	143
Package Product Max. Height (mm)	138
Package Product Max. Width (mm)	87
Package Product Weight gross (g)	561
Product (only) Max. Depth (mm)	80
Product (only) Max. Height (mm)	137
Product (only) Max. Width (mm)	132
Product Weight net (g)	494
Sales Pack Qty	1
StatusCode	Active
UKCA	Y
Voltage (VAC) MAX (V)	240
Voltage (VAC) Min (V)	220
Voltage (VAC) Rated (V)	230
Wattage (W)	3000

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk

