

## CABLE STRIPPING TOOLS

### HB 13UE

Universal cable stripping tool for external sleeves of Low/Medium Voltage cables Ø 12,7 to 63,5 mm and primary insulator in XLPE max Ø 38,1 mm



### HB 12N

*For vulcanised extruded semiconductor*

HB12N cable stripping tool removes the semiconductor layer by being manually rotated around the cable while lateral advancement is achieved automatically. Safe and convenient, it can be used on cables with a semi-con diameter between 18 - 60 mm.

- Sturdy frame in anodised Aluminium alloy and Steel.
- Special Steel blade with precise cutting depth regulation.
- Stripping operation can start at any point along the conductor.
- Bearing mounted rollers provide smooth cutting action.



- With "REVERSE" function, which allows the removal of semiconductor up to 7 mm thick from the sheath of the cable.
- Double speed for each direction.



The **HB 12N** kit includes:

- HB 12N cable stripping tool
- sturdy plastic case

### HB 29-U HB 40-U

Wire stripper, for circular cables.



- Three types of cut:
  - Circumferential
  - Linear
  - Spiral
- Blade height adjustable to suit insulation thickness
- Blade profile suits difficult insulation
- PTFE blade housing reduces friction
- Spare blade HBSJ29/40

- **HB 29-U:** Ø 4,5 - 29 mm
- **HB 40-U:** Ø 19 - 40 mm

Dimensions:	HB 29-U	HB 40-U
Length mm:	138	153
Width mm:	38	54
Depth mm:	38	28
Weight g:	100	110