

Instinct™

WIRING ACCESSORIES

SETTING THE STANDARD

The slim stylish plate style gives the end user a modern sleek design, whilst still remaining robust and reliable. The plate depth is consistent throughout the range even within flex outlet, power and grid solutions, allowing for a clean consistent professional finish. The rear of the product has a distinctive green base with heavily embossed terminal marking for clear terminal identification

Angled Keystone

The angled push fit fixing for the keystone modules allows the fitted cable radius to be significantly reduced. This not only reduces the damage to the cable but also improves the aesthetic appearance of the installation

Monoblock Data

Instinct monoblock data solutions offer a comprehensive range of outlets for all types of commercial installations. The range includes the typical, isolated, non isolated TV, satellite, telephone solutions as well as more complex requirements such as Quadplexer, TV and data combination plates.

Keystone Data

Instinct keystone plates are available from 1 to 4 gang as well as a grid assembly and offer a flexible and improved data solution. The plates are compatible with keystone modules that are also supplied with the Instinct range, these include RJ45 up to Cat 7, USB up to 3.0, HDMI, TV, telephone and satellite. The keystone plates have an angled connection point which reduces the risk of cable damage.



ANGLED KEYSTONE FOR
IMPROVED CABLING



GRID KEYSTONE
SOLUTION



EURO MODULE
SOLUTION

Euro Module


Instinct euro modules plates are available from 1 to 4 gang and offer a flexible data solution. The plates utilise the existing Crabtree Euro Modules that include, TV, telephone, data and multiplex solutions. For commercial solutions the euro module range has a comprehensive range of Part M variants available. A Laser print service is also available to customers requirements.

SOFT CURVES SLIM PLATE SMOOTH STYLE




Keystone module solution

Consistent plate depth throughout the range



Curved stylish plate design

Data, audio, digital and communication module solutions



Crabtree



CR1315



CR1299



CR1297



CR1298

TELEPHONE KEYSTONE MODULES

BS 6312, BS EN 41003

1 MODULE

- CR1315** Master
CR1316 Secondary

DATA KEYSTONE MODULES

1 MODULE

- CR1295** RJ45 Category 5e
CR1296 RJ45 Category 6
CR1297 RJ45 Category 6a
CR1298 RJ45 Category 7
CR1299 RJ11

Dimension

Height	17mm
Width	17mm
Depth	35mm
Depth (Cat 7)	47mm



CR1313



CR1312



CR1310

TV, FM AND SATELLITE KEYSTONE MODULES

BS EN 60728-11

1 MODULE

- CR1313** Co-Axial Male Direct Connection
CR1311 Co-Axial Female Isolated
CR1312 Co-Axial Female Direct Connection
CR1310 F-Type Satellite

Dimension

Height	17mm
Width	17mm
Depth	35mm



CR1300



CR1302

HDMI AND USB KEYSTONE MODULES

1 MODULE

- CR1300** HDMI Keystone
CR1301 USB Type A, Type 2.0
CR1302 USB Type A, Type 3.0

Dimension

Height	17mm
Width	17mm
Depth	35mm





CR1315



CR1299



CR1297



CR1298



CR1313



CR1312



CR1310



CR1300



CR1302

TELEPHONE KEYSTONE MODULES

BS 6312, BS EN 41003

1 MODULE

- CR1315** Master
CR1316 Secondary

DATA KEYSTONE MODULES

1 MODULE

- CR1295** RJ45 Category 5e
CR1296 RJ45 Category 6
CR1297 RJ45 Category 6a
CR1298 RJ45 Category 7
CR1299 RJ11

Dimension

Height	17mm
Width	17mm
Depth	35mm
Depth (Cat 7)	47mm

TV/FM AND SATELLITE KEYSTONE MODULES

BS EN 60728-11

1 MODULE

- CR1313** Co-Axial Male Direct Connection
CR1311 Co-Axial Female Isolated
CR1312 Co-Axial Female Direct Connection
CR1310 F-Type Satellite

Dimension

Height	17mm
Width	17mm
Depth	35mm

HDMI AND USB KEYSTONE MODULES

1 MODULE

- CR1300** HDMI Keystone
CR1301 USB Type A, Type 2.0
CR1302 USB Type A, Type 3.0

Dimension

Height	17mm
Width	17mm
Depth	35mm



Instinct™


WIRING ACCESSORIES

SETTING THE STANDARD

Part M

With the largest commercial offering of Part M products the Instinct range has a complete comprehensive range to cater for all requirements of the Part M Building Regulations.

The Part M range portfolio consists of a lighting solution with standard and wide rocker variants in addition to socket outlets with outboard rockers. 20A and 50A Control Switches are also available along with euro data solutions and finally a grid solution that allows for both white and grey switch and plate options. LED indicators are integrated into the rockers and are orange, this colour ensures full clarity away from Red/Green indicators.



Integrated LED

The first truly integrated LED into a rocker. The Instinct LEDs are very neatly and discreetly situated behind the rocker without compromising visibility which is given by a warm glow around the rocker. The feature improves on obtrusive coloured lenses or the compromising of plate integrity of weaker 'thinned' areas.



Crabtree



CR2291

ANGLED KEYSTONE GRID MODULE

BS 5733

1 GANG

CR2291 Grid Interior for Keystone Modules



CR1315



CR1297



CR1298

TELEPHONE KEYSTONE MODULES

BS 6312, BS EN 41003


1 MODULE

CR1315 Master
CR1316 Secondary

DATA KEYSTONE MODULES

1 MODULE

CR1295 RJ45 Category 5e
CR1296 RJ45 Category 6
CR1297 RJ45 Category 6a
CR1298 RJ45 Category 7
CR1299 RJ11



CR1313



CR1300



CR1302

TV/FM AND SATELLITE KEYSTONE MODULES

BS EN 60728-11

1 MODULE

CR1313 Coaxial Male Direct Connection
CR1311 Coaxial Female Isolated
CR1312 Coaxial Female Direct Connection
CR1310 F-Type Satellite

HDMI AND USB KEYSTONE MODULES

1 MODULE

CR1300 HDMI Keystone
CR1301 USB Type A, Type 2.0
CR1302 USB Type A, Type 3.0



ANGLED KEYSTONE DATA SOLUTION



PRODUCT DESCRIPTION

The Instinct keystone plates are available from 1 to 4 gang and offer a flexible data solution. The plates are compatible with keystone modules that are also supplied within the Instinct range, these include RJ45 up to Cat 7, USB upto 3.0, HDMI, TV, Telephone and Satellite. The keystone plates have an angled connection point which reduces the risk of cable damage.

PLATE STYLE

The slim stylish plate style gives the installer and end user a modern sleek design, whilst still remaining robust and reliable. The plate depth is never compromised on products throughout the range even within flex outlet, power and grid solutions, allowing for a clean consistent professional finish. Rockers remain white to give a clean aesthetic.

TECHNICAL SPECIFICATION

Product Standard	BS 5733
Other Marking Standards	CE
LRV Rating	White LRV 74

PRODUCT SPECIFICATION

Recommended Back Box Size	35mm
Minimum Back Box Size	25mm
Plate Material	Urea Formaldehyde with Inherent Antimicrobial Properties

ACCESSORIES

Keystone Modules


CR1315	Telephone Master Module
CR1316	Telephone Secondary Module
CR1295	RJ45 Cat 5e Module
CR1296	RJ45 Cat 6 Module
CR1297	RJ45 Cat 6A Module
CR1298	RJ45 Cat 7 Module
CR1299	RJ11 Module
CR1300	HDMI Module
CR1301	USB Type 2.0 Connector Type A Module
CR1302	USB Type 3.0 Connector Type A Module
CR1310	F - Type Module
CR1311	Isolated Coaxial Module
CR1312	Direct Connection Female Coaxial Module
CR1313	Direct Connection Male Coaxial Module

BACK BOX PART REFERENCES


	Flush	Surface	Dry Lining Flush
1 Gang 25mm	SB655	9047	SB619
2 Gang 25mm	SB665	9040	SB629
1 Gang 35mm	SB615	9047	SB619
2 Gang 35mm	SB625	9040	SB629

DIMENSIONS (mm)

1-2 Gang



3-4 Gang



RANGE PORTFOLIO

Type	Options
Plate	White Moulded
	Grid Module
Printing	Indelible laser marking
	Tampo Print
Plate Types	1 Gang
	2 Gang
	3 Gang
	4 Gang

INSTALLER AND USER INTERFACE FEATURES

Angled Keystone

The angled push fit fixing for the keystone modules allows the cable radius to be significantly reduced. This not only decreases the damage to the cable from reduced bend radius but also improves the aesthetic appearance of the installation

Customisation



A custom service is available to meet all your printing needs, from basic printing such as 'Dishwasher' to more specific requirements such as company Logos or location references. Printing is undertaken using state of the art laser print technology for a totally indelible marking

Additional Installation and product Benefits

- Consistent aesthetic and depth

Minimum product performance

- 850/650°C Glow wire



Angled keystone for improved cabling



Grid keystone solution