

Instinct™

WIRING ACCESSORIES

SETTING THE STANDARD

The slim stylish plate style gives the end user a modern sleek design, whilst still remaining robust and reliable. The plate depth is consistent throughout the range even within flex outlet, power and grid solutions, allowing for a clean consistent professional finish. The rear of the product has a distinctive green base with heavily embossed terminal marking for clear terminal identification

Angled Keystone

The angled push fit fixing for the keystone modules allows the fitted cable radius to be significantly reduced. This not only reduces the damage to the cable but also improves the aesthetic appearance of the installation

Monoblock Data

Instinct monoblock data solutions offer a comprehensive range of outlets for all types of commercial installations. The range includes the typical, isolated, non isolated TV, satellite, telephone solutions as well as more complex requirements such as Quadplexer, TV and data combination plates.

Keystone Data

Instinct keystone plates are available from 1 to 4 gang as well as a grid assembly and offer a flexible and improved data solution. The plates are compatible with keystone modules that are also supplied with the Instinct range, these include RJ45 up to Cat 7, USB up to 3.0, HDMI, TV, telephone and satellite. The keystone plates have an angled connection point which reduces the risk of cable damage.



ANGLED KEYSTONE FOR
IMPROVED CABLING



GRID KEYSTONE
SOLUTION



EURO MODULE
SOLUTION

Euro Module


Instinct euro modules plates are available from 1 to 4 gang and offer a flexible data solution. The plates utilise the existing Crabtree Euro Modules that include, TV, telephone, data and multiplex solutions. For commercial solutions the euro module range has a comprehensive range of Part M variants available. A Laser print service is also available to customers requirements.

SOFT CURVES SLIM PLATE SMOOTH STYLE




Keystone module solution

Consistent plate depth throughout the range



Curved stylish plate design

Data, audio, digital and communication module solutions





CR1238



CR1240



CR1291



CR1293



CR2291

TV/FM, CO-AXIAL, SATELLITE, TELEPHONE AND DATA

BS EN 60728-11, BS 6312, BS EN 41003

2 GANG

CR1238 TV/FM DAB/SAT/SAT2 Quadplexer with Telephone Secondary

CR1239 TV/FM DAB/SAT/SAT2 Quadplexer with RJ45 and Telephone Secondary

CR1240 TV/FM DAB/SAT/SAT2 Quadplexer with Return and Secondary Co-Axial Telephone

Dimension

Height	86mm
Width	146mm
Plate Depth	9mm
Overall Depth	31mm

Back Box

Surface Moulded	9040
Flush Galvanised	SB665
Dry Lining	SB629

ANGLED KEYSTONE PLATE

BS 5733

1-4 GANG

CR1291 1 Gang 1 Module

CR1292 1 Gang 2 Module

CR1293 2 Gang 3 Module

CR1294 2 Gang 4 Module

Dimension

	1 Gang	2 Gang
Height	86mm	86mm
Width	86mm	146mm
Plate Depth	9mm	9mm
Overall Depth	25mm	25mm

Back Box

	1 Gang	2 Gang
Surface Moulded	9047	9040
Flush Galvanised	SB615	SB625
Dry Lining	SB619	SB629

ANGLED KEYSTONE GRID MODULE

BS 5733

1 GANG

CR2291 Grid Interior for Keystone Modules

Dimension

Height	55mm
Width	24.5mm
Overall Depth	26mm





PRODUCT DESCRIPTION

The Instinct monoblock data solutions offer a comprehensive range of outlets for all types of commercial installations. The range includes the typical, isolated, non isolated TV, Satellite, Telephone solutions as well as more complex requirements such as Quadplexer, TV and data combination plates.

PLATE STYLE

The slim stylish plate style gives the installer and end user a modern sleek design, whilst still remaining robust and reliable. The plate depth is never compromised on products throughout the range even within flex outlet, power and grid solutions, allowing for a clean consistent professional finish. Rockers remain white to give a clean aesthetic

TECHNICAL SPECIFICATION

Product Standard	BS 5733 BS EN 60728-11 IEC61169-2 ANSI/SCTE 02 BS 6312 BS EN 41003 73/23/EEC UL1863
Other Marking Standards	CE
LRV Rating	White LRV 74

PRODUCT SPECIFICATION


Recommended Back Box Size	25mm
Minimum Back Box Size	25mm
Plate Material	Urea Formaldehyde with Inherent Antimicrobial Properties

BACK BOX PART REFERENCES


	Flush	Surface	Dry Lining Flush
1 Gang 25mm	SB655	9047	SB619
2 Gang 25mm	SB665	9040	SB629

DIMENSIONS (mm)


1-2 Gang



Multiplex Solutions



Standard TV & Satellite



RANGE PORTFOLIO

Type	Options
Plate	White Moulded White Moulded Printed
Printing	Indelible laser marking Tampo Print
Product	Isolated and non Isolated Male/FemaleTV Satellite Telephone Master and Secondary CAT 5,6 and 7 USB 2.0 and 3.0 HDMI Diplexer Triplexer Quadplexer Quadplexer with Telephone Quadplexer with Telephone and Data
Plate Types	1 Gang 2 Gang

INSTALLER AND USER INTERFACE FEATURES

Customisation

A custom service is available to meet all your printing needs, from basic printing such as 'Dishwasher' to more specific requirements such as company Logos or location references. Printing is undertaken using state of the art laser print technology for a totally indelible marking

Additional Installation and product Benefits

- Consistent aesthetic and depth

Minimum product performance

- 850/650°C Glow wire