

Instinct™

WIRING ACCESSORIES

SETTING THE STANDARD

The slim stylish plate style gives the end user a modern sleek design, whilst still remaining robust and reliable. The plate depth is consistent throughout the range even within flex outlet, power and grid solutions, allowing for a clean consistent professional finish. The rear of the product has a distinctive green base with heavily embossed terminal marking for clear terminal identification

Angled Keystone

The angled push fit fixing for the keystone modules allows the fitted cable radius to be significantly reduced. This not only reduces the damage to the cable but also improves the aesthetic appearance of the installation

Monoblock Data

Instinct monoblock data solutions offer a comprehensive range of outlets for all types of commercial installations. The range includes the typical, isolated, non isolated TV, satellite, telephone solutions as well as more complex requirements such as Quadplexer, TV and data combination plates.

Keystone Data

Instinct keystone plates are available from 1 to 4 gang as well as a grid assembly and offer a flexible and improved data solution. The plates are compatible with keystone modules that are also supplied with the Instinct range, these include RJ45 up to Cat 7, USB up to 3.0, HDMI, TV, telephone and satellite. The keystone plates have an angled connection point which reduces the risk of cable damage.



ANGLED KEYSTONE FOR IMPROVED CABLING



GRID KEYSTONE SOLUTION



EURO MODULE SOLUTION

Euro Module


Instinct euro modules plates are available from 1 to 4 gang and offer a flexible data solution. The plates utilise the existing Crabtree Euro Modules that include, TV, telephone, data and multiplex solutions. For commercial solutions the euro module range has a comprehensive range of Part M variants available. A Laser print service is also available to customers requirements.

SOFT CURVES SLIM PLATE SMOOTH STYLE



Keystone module solution

Consistent plate depth throughout the range



Curved stylish plate design

Data, audio, digital and communication module solutions



TELEPHONE SOCKETS

BS 6312, BS EN 41003

1 GANG

- CR1283** Master
- CR1284** Secondary
- CR1286** RJ11
- 7288** Dual Telephone Adaptor

Dimension

Height	86mm
Width	86mm
Plate Depth	9mm
Overall Depth	39mm

Back Box

Surface Moulded	9047
Flush Galvanised	SB615
Dry Lining	SB619

DATA SOCKETS

1 GANG

- CR1287** 1 Way RJ45 Cat 6
- CR1288** 2 Way RJ45 Cat 6

Dimension

Height	86mm
Width	86mm
Plate Depth	9mm
Overall Depth	39mm

Back Box

Surface Moulded	9047
Flush Galvanised	SB615
Dry Lining	SB619

CO-AXIAL AND SATELLITE SOCKETS

BS EN 60728-11

1 GANG 1 WAY

- CR1265** Male Co-Axial Direct Connection
- CR1267** Male Co-Axial Isolated
- CR1314** Female Co-Axial Direct Connection
- CR1289** F-Type Satellite

Dimension

Height	86mm
Width	86mm
Plate Depth	9mm
Overall Depth	25mm

Back Box

Surface Moulded	9047
Flush Galvanised	SB655
Dry Lining	SB619

