

Product Information

Our 12v Constant Voltage LED driver range is available in 3 outputs, these are suitable for products that require a Constant Voltage supply such as LED tape.

Product Features

- 1 year warranty
- 12v Constant Voltage
- IP20
- Class II
- Polycarbonate Construction
- Non-Dimmable
- Built in strain relief

Product Specification

| Product Code | Product Description | Max load | Current rating | Voltage Range | Dimming options | IP Rating | Protection Class |
|-----------------|---|-------------|----------------|------------------|-----------------|-----------|---------------------|
| KSRDL297 | IP20 12w 12v Constant Voltage Driver | 12w | 1.0A | 12 | No | 20 | II |
| KSRDL298 | IP20 30w 12v Constant Voltage Driver | 30w | 2.5A | 12 | No | 20 | II |
| KSRDL299 | IP20 50w 12v Constant Voltage Driver | 50w | 4.16A | 12 | No | 20 | II |

| Nominal voltage | 100-240VAC |
|---------------------------|-------------|
| Operating frequency | 50/60Hz |
| Ambient temperature range | -20°c~+50°c |

Construction

Body: Polycarbonate

Standards


BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with


LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2009/125/EC
ROHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSRDL297/298



KSRDL299

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.