


## www.hamilton-litestat.com



## 8C4G

Sheer CFX 4 Gang Insert Grid C/W Gasket.

Insert Type   Spare Grids   Plate Finish   Frame Finish   Switch Colour   Body & Switch Trim   Height   Width   Depth   Fixing Hole Centres   Minimum Wall Box Depth   Switched Poles   Current Rating   Voltage   Max load   Contact Gap Minimum   Terminal Capacity 1   Terminal Capacity 2   Terminal Capacity 5   Earth Terminal Capacity 5   Earth Terminal Capacity 1   Earth Terminal Capacity 2   Earth Terminal Capacity 5   Earth Terminal Capacity 4   Earth Terminal Capacity 5   Earth Terminal Capacity 4   Earth Terminal Capacity 5   Earth Terminal Capacity 4   Earth Terminal Capacity 5   Earth Terminal Capacity 5   Earth Terminal Capacity 4   Earth Terminal Capacity 5   Earth Terminal Capacity 5   Earth Terminal Capacity 4   Earth Terminal Capacity 5   Earth Terminal Capacity 5   Product Class 1   Ambient Operating   Temperature   Recommended Location   Standard/Approval    CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under Reference Nos. R21 = 3020754 SS2 = 3020755	Primary Range	Sheer CFX	
Plate Finish Frame Finish Switch Colour Body & Switch Trim Height Width Depth Fixing Hole Centres  Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under		Spare Grids	
Switch Colour Body & Switch Trim  Height Width Depth  Fixing Hole Centres  Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under		·	
Body & Switch Trim Height Width Depth Fixing Hole Centres Fixing Hole Centres Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing = 120.6mm Grid Fixing = 106.5mm Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No 2296586 Sheer CFX is a Registered Design under	Frame Finish		
Height Width Depth  Fixing Hole Centres  Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing = 120.6mm Grid Fixing = 106.5mm  Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 5 Farth Terminal Capacity 5 Forduct Class 1 Amust be earthed  Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Switch Colour		
Width Depth  Fixing Hole Centres  Minimum Wall Box Depth  Wattage  Switched Poles  Current Rating  Voltage  Max load  Contact Gap Minimum  Terminal Capacity 1  Terminal Capacity 2  Terminal Capacity 4  Terminal Capacity 4  Terminal Capacity 5  Earth Terminal Capacity 1  Earth Terminal Capacity 2  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Earth Terminal Capacity 6  Earth Terminal Capacity 7  Earth Terminal Capacity 8  Earth Terminal Capacity 9  Earth Terminal Capacity 1  Earth Terminal Capacity 1  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Forduct Class 1  Ambient Operating  Temperature  Recommended Location  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Body & Switch Trim	Silver	
Depth Fixing Hole Centres  Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing = 120.6mm Grid Fixing = 106.5mm  Minimum Wall Box Depth Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Farth Terminal Capacity 4 Farth Terminal Capacity 5 Forduct Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Height		
Fixing Hole Centres  Box Fixing = 120.6mm Grid Fixing = 106.5mmBox Fixing = 120.6mm Grid Fixing = 106.5mm  Minimum Wall Box Depth  Wattage  Switched Poles  Current Rating  Voltage  Max load  Contact Gap Minimum  Terminal Capacity 1  Terminal Capacity 2  Terminal Capacity 3  Terminal Capacity 4  Terminal Capacity 4  Terminal Capacity 5  Earth Terminal Capacity 1  Earth Terminal Capacity 2  Earth Terminal Capacity 3  Earth Terminal Capacity 5  Forduct Class 1  Ambient Operating  Temperature  Recommended Location  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Width		
Minimum Wall Box Depth  Wattage Switched Poles Current Rating Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 5 Farth Terminal Capacity 5 Farth Terminal Capacity 5 Forduct Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  Lindor use only  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Depth		
Wattage Switched Poles  Current Rating  Voltage  Max load  Contact Gap Minimum  Terminal Capacity 1  Terminal Capacity 2  Terminal Capacity 3  Terminal Capacity 4  Terminal Capacity 5  Earth Terminal Capacity 1  Earth Terminal Capacity 2  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Earth Terminal Capacity 5  Earth Terminal Capacity 1  Earth Terminal Capacity 3  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Product Class 1  Ambient Operating Temperature  Recommended Location  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Fixing Hole Centres		
Switched Poles n/a Current Rating Voltage Max load Contact Gap Minimum n/a Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks  No. 2296586 Sheer CFX is a Registered Design under	Minimum Wall Box Depth	35mm	
Current Rating  Voltage  Max load  Contact Gap Minimum  Terminal Capacity 1  Terminal Capacity 2  Terminal Capacity 3  Terminal Capacity 4  Terminal Capacity 5  Earth Terminal Capacity 1  Earth Terminal Capacity 2  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 4  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Product Class 1  Ambient Operating Temperature  Recommended Location  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Wattage		
Voltage Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Switched Poles	n/a	
Max load Contact Gap Minimum Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Current Rating		
Contact Gap Minimum n/a  Terminal Capacity 1  Terminal Capacity 2  Terminal Capacity 3  Terminal Capacity 4  Terminal Capacity 5  Earth Terminal Capacity 1  Earth Terminal Capacity 2  Earth Terminal Capacity 2  Earth Terminal Capacity 3  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Product Class 1  Ambient Operating Temperature  Recommended Location  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Voltage		
Terminal Capacity 1 Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Max load		
Terminal Capacity 2 Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Contact Gap Minimum	n/a	
Terminal Capacity 3 Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks  No. 2296586 Sheer CFX is a Registered Design under	Terminal Capacity 1		
Terminal Capacity 4 Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks  No. 2296586 Sheer CFX is a Registered Design under	Terminal Capacity 2		
Terminal Capacity 5 Earth Terminal Capacity 1 Earth Terminal Capacity 2 Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under			
Earth Terminal Capacity 1 11mm2  Earth Terminal Capacity 2  Earth Terminal Capacity 3  Earth Terminal Capacity 4  Earth Terminal Capacity 5  Product Class 1 Must be earthed  Ambient Operating Temperature  Recommended Location Indoor use only  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under	Terminal Capacity 4		
Earth Terminal Capacity 2 Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under			
Earth Terminal Capacity 3 Earth Terminal Capacity 4 Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1 Ambient Operating Temperature Recommended Location Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks No. 2296586 Sheer CFX is a Registered Design under		11mm2	
Earth Terminal Capacity 4 Earth Terminal Capacity 5 Product Class 1			
Earth Terminal Capacity 5 Product Class 1			
Product Class 1 Must be earthed  Ambient Operating Temperature  Recommended Location Indoor use only  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks No. 2296586 Sheer CFX is a Registered Design under			
Ambient Operating Temperature Recommended Location Indoor use only Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks No. 2296586 Sheer CFX is a Registered Design under			
Temperature  Recommended Location Indoor use only  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark  Patents and Trademarks No. 2296586 Sheer CFX is a Registered Design under		Must be earthed	
Recommended Location Indoor use only  Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark No. 2296586 Sheer CFX is a Registered Design under			
Standard/Approval  CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks  No. 2296586 Sheer CFX is a Registered Design under			
CFX is a Registered Trade Mark No 2398667 Trade Mark Patents and Trademarks No. 2296586 Sheer CFX is a Registered Design under		Indoor use only	
Patents and Trademarks No. 2296586 Sheer CFX is a Registered Design under	Standard/Approval		
1	Patents and Trademarks	No. 2296586 Sheer CFX is a Registered Design under	

All products listed conform to current British or	All accessories are manufactured under an	It is the policy of the company to continually
European standards and the product information is	accredited BS EN ISO 9001: 2008 Quality System.	improve products as part of our development
correct at the time of going to press.		programme.
		Therefore, we reserve the right to alter designs
		and dimensions without prior notice.
Illustrations and diagrams are reproduced within	Due to manufacturing processes we cannot	
the limitations of reproductions and printing	guarantee an exact colour match and shadings of	Correct as at August 2012
processes are not binding.	certain finishes.	E&OE

R Hamilton & Co Ltd • Quarry Industrial Estate • Mere • Wiltshire • BA12 6LA • UK T: +44 (0)1747 860088 • F: +44 (0)1747 861032 • E: info@hamilton-litestat.com www.hamilton-litestat.com

Directors: R Hamilton • I Hamilton • RL Haines • CP Savory • AMH Hamilton (Secretary) Registered Office: Cedar House • Breckland • Linford Wood • Milton Keynes • MK14 6EX • Buckinghamshire Registered in London No. 941624 • VAT Registration No. 222 6607 84







