


## ESKV 32

Cable gland, polyamide, M32, RAL 9005 with short thread



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                           |
|--------------------------|---------------------------|
| Material cable gland     | Polyamide                 |
| Material sealing gasket  | EPDM                      |
| Protection class         | IP69, IP68 (5 bar 30 min) |
| Temp. range min          | -40 °C                    |
| Temp. range max          | 100 °C                    |
| Glow wire test           | 750 °C                    |
| Thread type              | M                         |
| Ø Connection thread D    | 32                        |
| Lead                     | 1,5                       |
| Length screw-in thread L | 12 mm                     |
| Ø cable diameter min     | 13 mm                     |
| Ø cable diameter max     | 21 mm                     |
| Ø cable diameter UL      | 14,6 mm - 19,5 mm         |
| Key width SW             | 36 mm                     |
| Collar diameter (E)      | 40 mm                     |
| Total length TL          | 42 mm - 51 mm             |
| Type of cable anchorage  | A                         |
| Install. torques fitting | 15 N m                    |
| Install. torques cap nut | 4 N m                     |
| Impact category          | 4                         |
| Product Color            | RAL 9005                  |
| Type                     | ESKV 32                   |
| Order no. RAL 9005       | 10066124                  |
| Packing unit             | 25                        |
| ETIM-Classification      | EC000441                  |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

|                             |          |
|-----------------------------|----------|
| <b>EMUG 32</b>              | 10061784 |
| <b>RDE 32</b>               | 10062186 |
| <b>EADR 32</b>              | 10062805 |
| <b>BS 21</b>                | 10064014 |
| <b>MFD 32/04/070</b>        | 10064344 |
| <b>MFD 32/06/060</b>        | 10064345 |
| <b>MFD 32/04/080</b>        | 10064950 |
| <b>MFD 32/03/080</b>        | 10101018 |
| <b>MFD 32/05/070</b>        | 10101140 |
| <b>MFD 32/01/115-01/085</b> | 10101256 |
| <b>MFD 32/03/065</b>        | 10102169 |
| <b>MFD 32/03/090</b>        | 10102170 |

13.10.2020

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice