



CorePro LEDbulb

CorePro LEDbulb D 8.5-60W A60 E27 927

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
Technical type	8.5-60W
	Sphere

Light Technical	
Colour Code	927
Beam Angle (Nom)	150 °
Luminous flux (nom.)	806 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	94.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	8.5 W
Lamp current (nom.)	45 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s

Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.9
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	85 °C


Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]

Approval and Application	
Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	9 kWh
	391915

Product Data	
Full product code	871869966064200
Order product name	CorePro LEDbulb D 8.5-60W A60 E27 927
EAN/UPC – product	8718699660642
Order code	66064200
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929002069102
SAP net weight (piece)	0.060 kg

CorePro LEDbulb


Dimensional drawing




Bulb A60S+ 230V 8.5-60W 806lm 2700K E27

Product	D	C
CorePro LEDbulb D 8.5-60W A60 E27 927	60 mm	110 mm

Photometric data




General Lighting
1 x 8.5-60W A60 E27 927
Page 1/2



LEDBulb CorePro E27 A60 8,5W


LEDBulb CorePro E27 A60 8,5W




LEDBulb CorePro E27 A60 8,5W

CorePro LEDbulb

Lifetime



LEDBulb CorePro E27 A60



LEDBulb CorePro E27 A60

