



# CorePro LEDbulb

## CorePro LEDbulb ND 11-75W A60 B22 827 UK

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

### Product data


General Information	
Cap base	B22 [ B22]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	50,000X
Technical type	11-75W
Light Technical	
Colour Code	827 [ CCT of 2,700 K]
Beam Angle (Nom)	200 °
Luminous flux (nom.)	1055 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	95.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	11 W
Lamp current (nom.)	95 mA
Wattage equivalent	75 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s

Power factor (nom.)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [ A 60mm]
Approval and Application	
Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	11 kWh
Product Data	
Full product code	871869651004901
Order product name	CorePro LEDbulb ND 11-75W A60 B22 827 UK
EAN/UPC – product	8718696510049
Order code	51004901
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929001234098

CorePro LEDbulb

SAP net weight (piece)	0.076 kg
------------------------	----------



Dimensional drawing



Entrybulb 230V 10.5W-75W 2700K B22 ND

Product	D	C
CorePro LEDbulb ND 11-75W A60 B22 827 UK	60 mm	110 mm

Photometric data




CorePro LEDbulb ND 11-75W A60

CorePro LEDbulb ND 11-75W A60




SDPO\_LED Bulb\_0021-Spectral Power distribution

Lifetime



LEDbulb 100W E27 840 FR A60



LEDbulb 100W E27 840 FR A60

