



# MASTER Value GLASS LED candles and lustres

## MASTER VLE LEDCandleDT3.4-40W B15 927B35CLG

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of incandescent candles and lustres with the benefits of the long-lasting LED technology. The product offers more energy saving compared with normal LED candles and lustres, and also provides the customer with a good light experience and superior dimming performance. MASTER Value Glass Led candles and lustres deliver significant energy savings, offering 30% more compared to normal LEDs. They provide excellent quality of light. By offering a lifetime of 15,000 hours, they reduce maintenance costs.

### Product data


| General Information                 |                                   | Colour consistency                     |             |
|-------------------------------------|-----------------------------------|----------------------------------------|-------------|
| Cap base                            | B15 [ B15]                        | Colour rendering index (nom.)          | <6          |
| EU RoHS compliant                   | Yes                               | LLMF at end of nominal lifetime (nom.) | 90          |
| Nominal lifetime (nom.)             | 15000 h                           | Operating and Electrical               |             |
| Switching cycle                     | 20,000X                           | Input frequency                        | 50 to 60 Hz |
|                                     | Sphere                            | Power (Rated) (Nom)                    | 3.4 W       |
| Light Technical                     |                                   | Lamp current (nom.)                    | 24 mA       |
| Colour Code                         | 922-927 [ CCT of 2,200 K-2,700 K] | Wattage equivalent                     | 40 W        |
| Luminous flux (nom.)                | 470 lm                            | Starting time (nom.)                   | 0.5 s       |
| Colour designation                  | Warm Glow (WG)                    | Warm-up time to 60% light (nom.)       | 0.5 s       |
| Correlated Colour Temperature (Nom) | 2200 2700 K                       | Power factor (nom.)                    | 0.6         |
| Luminous efficacy (rated) (nom.)    | 138.00 lm/W                       |                                        |             |

MASTER Value GLASS LED candles and lustres

|                                    |                            |
|------------------------------------|----------------------------|
| Voltage (Nom)                      | 220-240 V                  |
| Temperature                        |                            |
| T-Case maximum (nom.)              | 70 °C                      |
| Controls and Dimming               |                            |
| Dimmable                           | Only with specific dimmers |
| Mechanical and Housing             |                            |
| Lamp Finish                        | Clear                      |
| Bulb shape                         | B35 [ B 35mm]              |
| Approval and Application           |                            |
| Energy Efficiency Class            | D                          |
| Energy consumption kWh/1,000 hours | 4 kWh                      |

|                                   |                                             |
|-----------------------------------|---------------------------------------------|
| 453268                            |                                             |
| Product Data                      |                                             |
| Full product code                 | 871951432517300                             |
| Order product name                | MASTER VLE LEDCandleDT3.4-40W B15 927B35CLG |
| EAN/UPC – product                 | 8719514325173                               |
| Order code                        | 32517300                                    |
| SAP numerator – quantity per pack | 1                                           |
| Numerator – packs per outer box   | 10                                          |
| SAP material                      | 929003012502                                |
| SAP net weight (piece)            | 0.014 kg                                    |


Dimensional drawing




Candle B35 EU 3.5-40W 475lm WG B15 CL

| Product                                     | D     | C     |
|---------------------------------------------|-------|-------|
| MASTER VLE LEDCandleDT3.4-40W B15 927B35CLG | 35 mm | 96 mm |

Photometric data




LEDcandle MAS SLR 3,4W B35 B15 927 CL-GUL



LEDcandle MAS SLR B35 3,4W E14 927 CL-LDD


MASTER Value GLASS LED candles and lustres

Photometric data




LEDcandle MAS SLR 3,4W B35 E14 927 CL-POC

Lifetime



15K LED



15K LMP

