



CorePro GLASS LED candles and lustres

CorePro LEDLusterND4.3-40W E14 827P45FRG

Featuring a classic heritage design, Classic filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. An easy choice for people who are looking for the replacement for retrofit LED candles and lustres: compared to conventional lamps, it provides a 90% energy saving. CorePro Glass LED candles and lustres provide excellent quality of light. By offering a lifetime of 15,000 hours, they reduce maintenance costs.

Product data

General Information		Power (Rated) (Nom)		4.3 W
Cap base	E14 [E14]	Lamp current (nom.)	35 mA	
EU RoHS compliant	Yes	Wattage equivalent	40 W	
Nominal lifetime (nom.)	15000 h	Starting time (nom.)	0.5 s	
Switching cycle	20,000X	Warm-up time to 60% light (nom.)	0.5 s	
	Sphere	Power factor (nom.)	0.5	
		Voltage (Nom)	220-240 V	
Light Technical		Temperature		
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	55 °C	
Luminous flux (nom.)	470 lm	Controls and Dimming		
Colour designation	Warm white (WW)	Dimmable	No	
Correlated Colour Temperature (Nom)	2700 K	Mechanical and Housing		
Luminous efficacy (rated) (nom.)	109.00 lm/W	Lamp Finish	Frosted	
Colour consistency	<6	Bulb shape	P45 [P 45mm]	
Colour rendering index (nom.)	80			
LLMF at end of nominal lifetime (nom.)	70 %			
Operating and Electrical				
Input frequency	50 to 60 Hz			

CorePro GLASS LED candles and lustres

Approval and Application


Energy Efficiency Class	E
Energy consumption kWh/1,000 hours	5 kWh
	387384

Product Data

Full product code	871951434720500
Order product name	CorePro LEDLusterND4.3-40W E14 827P45FRG

EAN/UPC – product	8719514347205
Order code	34720500
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929001345592
SAP net weight (piece)	0.014 kg


Dimensional drawing




Candle P45 230V 4-40W 250lm 2700K E14ND

Product	D	C
CorePro LEDLusterND4.3-40W E14 827P45FRG	45 mm	80 mm


Photometric data



LEDbulb, Bulb A21 14W, 18W 2200-2700K




LEDbulb 40W E14 827 FR P45




LEDbulb 40W E14 827 FR B35

CorePro GLASS LED candles and lustres

Lifetime



LEDbulb 40W E14 827 FR B35



LEDbulb 25W E14 827 FR B35

