



CorePro GLASS LED candles and lustres

CorePro LEDLusterND6.5-60W P45 E27827FRG

Featuring a classic heritage design, Classic filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. An very easy choice for people who are looking for the replacement for retrofit LED candles and lustres: compared to convential lamps, it provides a 90% energy saving. CorePro Glass LED candles and lustres provide excellent quality of light. By offering a lifetime of 15,000 hours, they reduce maintenance costs.

Product data


General Information		Power (Rated) (Nom)	
Cap base	E27 [E27]	Lamp current (nom.)	50 mA
EU RoHS compliant	Yes	Wattage equivalent	60 W
Nominal lifetime (nom.)	15000 h	Starting time (nom.)	0.5 s
Switching cycle	20,000X	Warm-up time to 60% light (nom.)	0.5 s
	Sphere	Power factor (nom.)	0.55
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	55 °C
Luminous flux (nom.)	806 lm		
Colour designation	Warm white (WW)	Controls and Dimming	
Correlated Colour Temperature (Nom)	2700 K	Dimmable	No
Luminous efficacy (rated) (nom.)	124.00 lm/W		
Colour consistency	<6	Mechanical and Housing	
Colour rendering index (nom.)	80	Lamp Finish	Frosted
LLMF at end of nominal lifetime (nom.)	70 %	Bulb shape	P45 [P 45mm]
Operating and Electrical			
Input frequency	50 to 60 Hz		

CorePro GLASS LED candles and lustres

Approval and Application	
Energy Efficiency Class	E
Energy consumption kWh/1,000 hours	7 kWh
	387452
Product Data	
Full product code	871951434768700
Order product name	CorePro LEDLusterND6.5-60W P45 E27827FRG

EAN/UPC – product	8719514347687
Order code	34768700
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929002029292
SAP net weight (piece)	0.012 kg


Dimensional drawing




Candle P45 60W 806lm 2700K E27 NDFrosted

Product	D	C
CorePro LEDLusterND6.5-60W P45 E27827FRG	45 mm	78 mm


Photometric data



LEDluster E27 P45 827 FR




LEDbulb 6,5-60W E14 B35




LEDbulb 6,5-60W E14 P45

CorePro GLASS LED candles and lustres

Lifetime



LEDbulb 6,5-60W E14 B35



LEDbulb 6,5-60W E14 B35

