



CorePro LEDspot MV



CorePro LEDspot 3-35W GU10 827 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data


General Information		Lamp current (nom.)	
Cap base	GU10 [GU10]	Wattage equivalent	35 W
EU RoHS compliant	Yes	Starting time (nom.)	0.5 s
Nominal lifetime (nom.)	15000 h	Warm-up time to 60% light (nom.)	0.5 s
Switching cycle	50,000X	Power factor (nom.)	0.8
	Narrow Cone	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	65 °C
Beam Angle (Nom)	36 °	Controls and Dimming	
Luminous flux (nom.)	230 lm	Dimmable	Only with specific dimmers
Luminous intensity (nom.)	500 cd	Mechanical and Housing	
Colour designation	Warm white (WW)	Bulb shape	PAR16 [PAR 2 inch]
Correlated Colour Temperature (Nom)	2700 K	Approval and Application	
Luminous efficacy (rated) (nom.)	76.00 lm/W	Energy Efficiency Class	F
Colour consistency	<6	Suitable for accent lighting	Yes
Colour rendering index (nom.)	80	Energy consumption kWh/1,000 hours	3 kWh
LLMF at end of nominal lifetime (nom.)	70 %		400298
Luminous flux in 90° cone (rated)	230 lm	Operating and Electrical	
Operating and Electrical		Input frequency	50 to 60 Hz
		Power (Rated) (Nom)	3 W

CorePro LEDspot MV

Product Data	
Full product code	871869672133900
Order product name	CorePro LEDspot 3-35W GU10 827 36D DIM
EAN/UPC – product	8718696721339
Order code	72133900
SAP numerator – quantity per pack	1

Numerator – packs per outer box	10
SAP material	929002495802
SAP net weight (piece)	0.048 kg



Dimensional drawing



GU10 220-240V 3-35W 230lm 36D 2700K D


Product
CorePro LEDspot 3-35W GU10 827 36D DIM

Photometric data




LEDspots Corepro SLR 3W PAR16 GU10 827 36D-LDD

LEDspots Corepro SLR 3W PAR16 GU10 827 36D-ADL




LEDspots Corepro SLR 3W PAR16 GU10 827 36D-POC

Lifetime



15K LED



15K LMP

