

Twist & Lock

GU10

Downlights



Data Sheet

Product Information

The Twist & Lock range of IP20 downlights are perfect for indoor applications. With this range Simplicity meets practicality and provides an effective downlight solution for Domestic installations. All fittings will take up to 10W GU10 retro fit LED lamps or up to a 50w GU10 Halogen lamp.

Complete with a 1 year warranty for your peace of mind.

Product Features

- 1 year warranty
- Class II
- IP65
- Max 50w GU10 Halogen
- Suitable for LED Retro fit lamps
- Chrome, Satin Chrome and White rim options available
- Push Fit Terminal Block

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSRDL101	GU10 Twist and Lock Downlight	50w Max	Dependant on lamp choice	Dependant on lamp choice	Dependant on lamp choice	D	II
KSRDL102	GU10 Twist and Lock Tilttable Downlight	50w Max	Dependant on lamp choice	Dependant on lamp choice	Dependant on lamp choice	D	II
Lamp Options							
KSRLP932	7W 3000K 560lm Dimmable LED GU10 Lamp						
KSRLP933	7W 4000K 600lm Dimmable LED GU10 Lamp						

Nominal voltage	220~240V
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
IP rating	20


Standards

BSEN60598-1:2015 Luminares – Part 1: General requirements and tests


In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSRDL101



KSRDL102

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.